



KENNY'S CREEK




SPRING BULL SALE

75 ANGUS BULLS

SEMEN TESTED | STRUCTURALLY ASSESSED | JBAS-7

WEDNESDAY 6 SEPTEMBER 2023

HILLGROVE, BOOROWA NSW | 1PM AUCTION



Luke Whitty 0427 524 442
luke@kmiller.com.au

Jack Whitty 0407 668 669
jack@kmiller.com.au

Sam Parish 0418 832 086
sam@kmiller.com.au



Scan to view
Sale videos



Scan to view
angus.tech Catalogue

SALE BULL VIDEOS

Bulls were videoed on Monday 24 July 2023 and are available for viewing on our website – www.kennyscreek.com.au.

REBATES

A rebate of 2% will be paid to all agents nominating or accompanying buyers to the sale and settling within 7 days. Rebates will be paid directly by the vendor. Agents nominating buyers must do so in writing prior to the commencement of the sale and/or accompany buyers in person at the sale.

HILLGROVE AIRSTRIP

Located 4nm west of Boorowa township S 34 25.0 E 148 39.2



KENNY'S CREEK



WEDNESDAY 6 SEPTEMBER 2023

SPRING BULL SALE

HILLGROVE, BOOROWA NSW | 1PM AUCTION

interfaced with



Buy and Sell stock nationally



SAM BURTON TAYLOR

0403 180 804
sam@kennyscreek.com.au



NICK BURTON TAYLOR

(02) 6385 3902
hillgrovepastoral@bigpond.com



DAVE HARDIE

0428 832 439
hillgrove@kennyscreek.com.au

TO SEE SALE PREVIEW AND BULL VIDEOS, VISIT

WWW.KENNYSCEEK.COM.AU

INTRODUCTION

On Wednesday 6 September 2023 we are excited to offer 75 Angus bulls for sale at Hillgrove, Boorowa. This year's offering includes 60 S bulls and 15 18-month old T bulls.

Coming off the back of a notable fall in cattle prices, the cattle market is in a much more challenging position than it was a year ago. 2024 looks to be the year where we will start to see prices improve, driven by tightening supply rather than an increase in demand. When we look back at global Grain Fed beef production, the world is producing roughly the same amount today as it was 20 years ago. This is despite the fact that there are now significantly more people and more wealth.

With the USA likely entering a herd rebuilding phase in 2024 and peaking in 2025/ 2026 we are going to see increased pricing from a reduced pool of premium Grain Fed beef. Competition from Australia's three major Asian customers – China, Japan and Korea – will increase as the supply of US Grain Fed exports starts to diminish. The US is already retaining more of its Grain Fed beef for its own domestic market.

Over the last year our beef business, KC Natural, has continued its feeding and processing of Grain Fed Angus beef which we have been exporting mostly as chilled beef to China. This program has given us full traceability of the genetics we are using and feedback on the performance of our cattle at every stage of the supply chain. More on this below.

Now to the bulls...

Our sire selection for the bulls on offer continues to meet our guideline – breed for the optimum, not the maximum. The core focus in our bull breeding is for focused carcass genetics from high performing, moderate, fertile and functional cattle.

This year's bulls are the product of a cow herd which is run under commercial parameters with all females assessed annually to ensure they are meeting each of our breed values.

Over 85% of our bulls are from AI sires (all T bulls are embryo calves). Dunoon Prime Minister is well represented with 16 sons, as are Baldrige Beast Mode with 15 sons, Lawsons Momentous with 12 sons, Chiltern Park Moe with 11 sons and Milwillah Napa with 5 sons.

Once again, all of our 2023 sale bulls have been successfully parent verified using genomic testing.

Over 95% of our catalogued S bulls have been working as yearlings in both our commercial and stud programs. Before they go out to work and again before this sale all bulls must pass a structural assessment and fertility test. This process gives us increased confidence in selling the bulls. The S bulls have recently come onto crop and the T bulls (who have not worked) have been fed on improved pasture.

We remain focused on our in-herd measurements, genomics and EBV performance to ensure our cattle perform at each stage of the production cycle. Carcass traits remain key in our beef export business, and we are seeing a high level of consistency in achieving MB3+ on our KCA 150 day Grain Fed Angus.

The steers are bred and backgrounded at Breakfast Creek Station, finished at The Mount Feedlot, Forbes and processed at Bindaree, Inverell.

As a stud, we continue to focus on high performing cattle and this year's offering demonstrates:

- Calving ease
 - 30 bulls below breed average for birth weight
 - 40 bulls above breed average for calving ease direct
 - 48 above breed average for calving ease daughters
- Performance
 - 59 bulls above breed average for 200 day weight
 - 57 bulls above breed average for 400 day weight
 - 55 bulls above breed average for 600 day weight
 - 60 bulls above breed average for docility
- Carcass quality
 - 40 bulls above breed average for EMA
 - 43 bulls above breed average for Rib
 - 51 bulls above breed average for IMF
 - (36 bulls have an IMF greater than 3)
- Fertility
 - 51 bulls above breed average for scrotal size

If you would like to inspect the bulls before sale day please contact myself or David. The bulls were videoed on Monday 24 July, where they were in forward condition and coming out of their winter coats. They still have some growing to do over the next four weeks - particularly after working this year. Short videos are available on our website, along with links to the relevant information on the Angus Australia website.

We are looking forward to welcoming you to join us for the sale in person. If you are unable to make it, the sale will be run through Auctions Plus and we will continue to do everything we can to make the virtual experience of purchasing a bull as informative and comprehensive as possible.

Sam Burton Taylor
August 2023



NOTICES

HEALTH AND SAFETY OF VISITORS

Visitors enter the pens at their own risk. Children under 16 and people with reduced mobility or who require the use of aids are requested not to enter pens.

Under normal conditions all animals are considered to be docile in temperament, however on sale days conditions are different, and stress levels may be heightened, causing animals to behave unpredictably.

While we do not expect any issues it is important that visitors are aware of their surrounds, remain alert at all times, and acknowledge the risks associated with the sale.

SALE CATALOGUE

All reasonable care has been taken by the vendor to ensure that the information provided in this catalogue is correct at the time of publication. However, neither the vendor nor the selling agents make any other representations about the accuracy, reliability or completeness of any information provided in this catalogue and do not assume any responsibility for the use or interpretation of the information included in this catalogue. You are encouraged to seek independent verification of any information provided in this catalogue before relying on such information.

PARENTAGE

We have tested all bulls in the sale to the highest available parent verification standards offered by Angus Australia. All S and T bulls have been successfully parent verified by genomic testing.

REGISTRATION AND PRIVACY INFORMATION

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by the vendor and Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form on their website and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the storage and disclosure of such information.


SEMEN RIGHTS

Kenny's Creek retains the right to collect semen for in-herd use from any bulls sold in the sale at our expense and at the convenience of the purchaser.




THE PERFORMANCE OF KENNY’S CREEK 2023 SALE BULLS


200 DAY WEIGHT




400 DAY WEIGHT



600 DAY WEIGHT






IMF



| | GROWTH | | | | | | | | FERT. | | CARCASE | | | | | | INDEX VALUES | |
|-----|--------|------|------|------|------|-------|-------|------|-------|------|---------|-----|---------|------|-----|-----|--------------|--|
| | DIR | DTRS | Bwt | 200 | 400 | 600 | Mwt | DC | SS | DOC | CWT | EMA | Rib Fat | P8 | RBV | IMF | \$A | |
| KCA | 2.1 | 2.8 | +4.1 | 54.1 | 97.6 | 125.5 | 104.8 | -4.6 | 2.6 | 25.7 | 67.6 | 6.7 | -0.1 | -0.5 | 0.3 | 2.9 | 219.0 | |
| BA | 2.2 | 2.6 | 4 | 50 | 90 | 117 | 100 | -4.7 | 2.1 | 20 | 66 | 6.3 | 0 | -0.3 | 0.5 | 2.2 | 197 | |

KCA = Kenny's Creek Angus; BA = Breed Average



SS**EMA****\$A+**

THE KENNY'S CREEK CONNECTION

CONNECTION TO COMMERCIAL PRODUCTION VALUES

- We purchase Kenny's Creek female bloodlines from clients for joining.
- We run our own 2,000 cow commercial Angus herd which provides a benchmark on performance.
- We are our own bull client. Each year our bulls are used internally as back up to our fixed time Artificial Insemination (AI) program.
- We manage a commercial feedlot (The Mount, Forbes), allowing us to purchase clients' feeder steers and match data from feedlot performance to genetics and EBVs.

CONNECTION TO INTERNATIONAL MARKETS

- We travel nationally and abroad to analyse the best genetics and new cattle technologies, giving us insight into world cattle and beef markets.
- KC Natural is a processor, exporter, wholesaler and retailer – giving us unique insight into each level of the supply chain.
- We gather feedback on carcase performance to link to Kenny's Creek Angus genetic programs.

CONNECTION TO OUR BULL CLIENTS

- Our deep understanding of the industry helps us to understand and tailor genetics to our clients' herds.
- We focus on the results of clients' breeding strategies by being an active participant in the marketing of livestock and purchasing through our buy back program.



KENNY'S CREEK



PERFORMANCE AND ANIMAL HEALTH

HEALTH STATUS

BioCheck Biosecurity Plan: The Kenny's Creek Angus herd at Hillgrove, Boorowa has been assessed and tested under the BioCheck Biosecurity Plan and is rated as J-BAS 7.

Pestivirus: Pestivirus is an endemic viral disease in Australia. There is serological evidence of pestivirus in over 70% of beef herds in NSW. The Kenny's Creek pestivirus management plan mandates annual vaccinations of all cattle. Each of our sale bulls have been PI-Antigen tested for Pestivirus (ear notch test) and received a negative result.

INDEPENDENT ASSESSMENT BY CHRIS SAUNDERS FROM PRECISION BREEDING

All of our bulls have been independently evaluated for structural soundness and fertility, in particular:

1. Semen tested
2. Scrotal palpated
3. Structurally assessed

HEALTH MANAGEMENT

After you have purchased a low risk bull it is important to manage him correctly to ensure a long, effective working life. Ensure you vaccinate your bulls annually with 7 in 1 and vibrio vaccine. All Kenny's Creek Angus bulls have had their initial two vaccinations and now only require annual vaccination.

Monitor the body condition of your bulls and maintain a condition score of 3. Young bulls require good nutrition. Don't allow your bulls to become overly fat, as fat bulls have a greater risk of injury and also achieve poorer conception rates.

The variation in climatic conditions (temperature extremes) and grazing conditions in Central and Northern Queensland can have a large effect on the quality of semen the bull produces. It is recommended that after you purchase a new bull and relocate him to a new grazing environment that you have his semen examined prior to joining.

MONITORING NEW BULLS

Any new bulls being joined for their first time are at a greater risk of achieving poor conception rates due to injury or infection. It is therefore important to monitor new bulls closely.

What to look out for:

- Lameness
- Swelling in the area of the penis or testicles
- Penis unable to be exteriorised from the sheath
- Inflamed or reddened penis
- Bulls attempting to mount but not serving
- Any signs of systemic disease i.e. lethargic
- Cows still in estrus towards the end of the joining period

In well managed herds we expect 60–70% of conception to occur in the first 3 weeks. It is extremely important to monitor new bulls during this period. Cows joined to new bulls need to be inspected 2–3 times per week for the first 3 weeks then weekly thereafter.


It is important to remember that problems can develop during the joining period. Some of these problems cannot be prevented, so early detection is the only way to minimise their impact.

FEET AND LEGS

Great attention is paid to both the feet and legs of animals as part of the Kenny's Creek breeding program to ensure their longevity and working lifespan. It is important to note that no feet are ever trimmed and any identified animals with structural issues are removed from the breeding herd.

TEMPERAMENT

Temperament has been assessed constantly across the whole herd over the last 30 years. All working bulls are selected in part for their libido and fertility attributes and as such require an understanding management approach to their handling.



THE KENNY'S CREEK PROGRAM

The selection and breeding program at Kenny's Creek is driven by a rigorous and non-emotional approach to genetic selection. Our key motivation is to produce trouble free performance bulls for our clients.

A brief summary of our approach is as follows:

SIRE SELECTION

Kenny's Creek is at the forefront of utilising structural information about our breeding herd, with each animal assessed rigorously. We have developed systems to analyse the data collected and rank the performance of sire and cow lines, enabling us to react early to structural issues inherited by sire lines.

Our sires are comprehensively examined, including progeny, dams, granddams, sisters and any other family members available. Through tightly researched breeding principles and high accuracy parents, we aim for a low cull

rate in bulls presented for sale – we believe this means more predictable progeny for our clients' herds.

Once sires have passed this assessment we then look at EBVs, either on Angus Breedplan or multi-breed Breedplan, keeping in mind some of our clients sell steers to the domestic market and some look at the Long Fed index. We are not a "one-index" breeder.

INDEPENDENT ASSESSMENT

All our bulls have been independently evaluated for structural soundness and fertility. The detailed methodology for these assessments is set out under 'Performance and Animal Health'.

OUR GUARANTEE

To the best of our knowledge all bulls are in sound working condition at the time of the sale. If, during the next 12 months, a bull becomes infertile or breaks down, provided it is not caused by injury sustained or illness contracted after leaving Kenny's Creek Angus, we will:

- replace the bull with as close a match as possible; or
- grant a full credit (less any salvage value) for any purchase at future Kenny's Creek Angus sales.

BUY BACK PROGRAM

Each year we buy back heifers and feeder steers from our Kenny's Creek Angus clients.

Our objective with the buy back program is to provide premium prices to our bull clients.

Kenny's Creek new stud best

BY HANNAH POWE

REPEAT volume buyers at the Kenny's Creek Angus Bull Sale on Wednesday last week chased prices into unseen territory for the stud, eclipsing previous benchmarks and allowing the Burton Taylor family to set two new personal bests.

Overall, it was a full clearance of 68 bulls sold to a top of \$45,000 and average of \$16,809. Both were new records for Kenny's Creek.

This result near doubled last year's top price of \$23,000, while the average also grew \$4778 compared to the \$12,031 average achieved last year.

It was an undisclosed repeat buyer from the Central West region which secured the \$45,000 sale-topper as well as four other high-selling bulls.

Kenny's Creek Keystone R105 was the top-priced bull which spurred interest from stud and commercial buyers offering a high-ranking data set with 10 traits in the top 15pc of the breed or higher.

He is a bull with a lot of muscle and his spread



The \$45,000 high-seller, Kenny's Creek Keystone R105, with Sam Burton Taylor and his son Angus, 7, Kenny's Creek Angus, Boorowa, and auctioneer Luke Whitty, KMWL, Forbes.

from birthweight to 600-day weight, coupled with high carcass weight, eye muscle area (EMA) and intramuscular fat (IMF) figures made him an attractive package, Sam Burton Taylor said.

Keystone R105 was in the top 1pc carcass weight and milk, top 5pc for 400- and 600-day weights, and top 10pc for 200-day weight and rib fat.

Sired by Landfall Keystone

K132 and out of Kenny's Creek Bara N23, a daughter of Esslemont Lotto L3, he weighed 834 kilograms at 24 months of age with a scrotal circumference of 39cm.

The same undisclosed

buyer purchased the \$32,000 second-top priced Kenny's Creek Keystone R50, also by Landfall Keystone K132.

Out of a Kenny's Creek Intensity L123 daughter in Kenny's Creek L123 P150, the 25-month-old weighed 944kg and ranked in the top 1pc for 200-, 400- and 600-day weights, mature cow weight, and carcass weight.

In all, the undisclosed buyer bought five at a \$32,600 average.

The largest volume purchasers were undisclosed repeat buyers from western NSW which purchased seven bulls averaging \$17,429, and Yammatee Family Trust, Bethunga, with six for a \$14,167 average.

James Plowman of Plowman Pastoral Pty Ltd, a large-scale Angus breeding operation northeast of Bathurst, paid an average of \$15,333 across his draft of three bulls which will be used within the self-replacing operation which targets the 440-480 kilogram feedlot entry market.

Mr Plowman said he had been buying bulls from Kenny's Creek for approximately

five years, and he believes the Burton Taylor family does a good job at providing high-indexing bulls for a reasonable price.

"Based on price and how they performed from an Angus breed index point of view, the bull's reliability and ability to produce good progeny is what keeps us coming back," he said.

This year Mr Plowman was looking to diversity in the sire line to introduce new genetics, as well as heifer bull options.

"The bulls are well presented, and Sam's support of his clientele both with information and availability makes him a great 'partner'," he said.

A charity auction and raffle which raised \$14,170 was also held in conjunction with the sale to raise funds for former professional NRL player Nathan Stapleton who was left quadriplegic after suffering a spinal cord injury while playing rugby union in country NSW.

Selling agents were Kevin Miller, Whitty Lennon and Co (KMWL) with Luke Whitty as the auctioneer.


THE CHECKLIST

-  CALVES WEIGHED AND TAGGED AT BIRTH
-  WEIGHED AT 200, 400 AND 600 DAYS
-  COWS WEIGHED FOR MATURE COW WEIGHT
-  GENOMIC TESTING FOR PARENT VERIFICATION, PRODUCTION TRAITS AND RECESSIVE GENES
-  INDEPENDENTLY ASSESSED FOR STRUCTURE, LEGS, FEET, SHEATH AND TEMPERAMENT
-  BULL SOUNDNESS EXAMINATION CONDUCTED BY PRECISION BREEDING – CHRIS SAUNDERS
-  JBAS-7 BIOSECURITY PLAN
-  BLOOD TESTED NEGATIVE FOR PESTI VIRUS. ANNUAL PESTIGUARD VACCINATED (ANNUAL VACCINATION RECOMMENDED)
-  7-IN-1 VACCINATION
-  VIBRIOSIS VACCINATION (2 INITIAL + 1 PRE SALE) AND SOLD WITH A LIFETIME ANIMAL HEALTH RECORD
-  ALL BULLS HAVE THREE FORMS OF IDENTIFICATION – TAG, NLIS AND FREEZE BRAND
-  KENNY'S CREEK GUARANTEE
-  SOCIETY TRANSFER IF REQUESTED

STRUCTURAL ASSESSMENT

KENNY'S CREEK STRUCTURAL PROGRAM

The 2023 Kenny's Creek Spring sale bulls have been independently structurally assessed to maximise the quality of stock on offer. Any animals deemed inadequate have been removed from the sale draft. The Kenny's Creek sale bulls were assessed by Chris Saunders of Precision Breeding on 1 June 2023.



SEE SALE VIDEOS AT WWW.KENNYSCREEK.COM.AU



Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name are as follows:

PV: both parents have been verified by DNA

SV: the sire has been verified by DNA

DV: the dam has been verified by DNA

#: DNA verification has not yet been conducted

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

MID JULY 2023 ANGUS BREEDPLAN REFERENCE TABLES

BREED AVERAGE EBVS

| CALVING EASE | | | BIRTH | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | OTHER | | | | STRUCTURE | | | SELECTION INDEXES | |
|--------------|--------|------|-------|------|--------|-----|------|------|-----------|------|------|-----|---------|------|------|------|-------|-------|------|-------|-----------|-------|-------|-------------------|--|
| CEDlr | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | RIB | P8 | RBV | IMF | NFI-F | DOC | Claw | Angle | Leg | \$A | \$A-L | | |
| Brd Avg | +2.2 | +2.6 | -4.8 | +4.1 | +50 | +90 | +117 | +100 | +17 | +2.1 | -4.6 | +66 | +6.3 | +0.0 | -0.3 | +0.5 | +2.2 | +0.19 | +20 | +0.84 | +0.97 | +1.03 | +197 | +339 | |

* Breed average represents the average EBV of all 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid July 2023 TransTasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE

| CALVING EASE | | | | BIRTH | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | OTHER | | | | STRUCTURE | | | | SELECTION INDEXES | |
|-------------------------|-------------------------|--------------------------|----------------------|---------------------|---------------------|-----------------------|---------------------|---------------------|----------------------|-------------------------|------------------------|-------------|----------|----------|--------------|----------|-------------------------|-------------|--------------|--------------|--------------|-----------------------|-----------------------|--|--|-------------------|--|
| CEDir | CEDtrs | GL | BW | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | RIB | P8 | RBV | IMF | NFI-F | DOC | Claw | Angle | Leg | \$A | \$A-L | | | | |
| Less Calving Difficulty | Less Calving Difficulty | Shorter Gestation Length | Lighter Birth Weight | Heavier Live Weight | Heavier Live Weight | Heavier Mature Weight | Heavier Live Weight | Heavier Live Weight | Larger Scrotal Size | Shorter Time to Calving | Heavier Carcase Weight | Larger EMA | More Fat | More Fat | Higher Yield | More IMF | Greater Feed Efficiency | More Docile | Lower Score | Lower Score | Lower Score | Greater Profitability | Greater Profitability | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1% | +11.0 | +10.0 | -10.7 | -0.4 | +70 | +123 | +162 | +160 | +28 | +4.8 | -8.0 | +98 | +14.5 | +4.2 | +5.1 | +2.0 | +5.8 | +4.3 | +0.42 | +0.60 | +0.74 | +273 | +449 | | | | |
| 5% | +9.1 | +8.3 | -8.8 | +1.0 | +64 | +112 | +148 | +140 | +25 | +3.9 | -7.0 | +88 | +11.9 | +2.9 | +3.3 | +1.5 | +4.6 | +3.6 | +0.54 | +0.70 | +0.84 | +252 | +419 | | | | |
| 10% | +7.9 | +7.3 | -7.9 | +1.7 | +60 | +107 | +140 | +130 | +23 | +3.5 | -6.5 | +83 | +10.6 | +2.2 | +2.5 | +1.3 | +4.0 | +3.2 | +0.62 | +0.76 | +0.88 | +241 | +403 | | | | |
| 15% | +7.1 | +6.5 | -7.2 | +2.2 | +58 | +104 | +136 | +124 | +22 | +3.2 | -6.1 | +79 | +9.7 | +1.7 | +1.9 | +1.1 | +3.6 | +2.9 | +0.66 | +0.80 | +0.90 | +234 | +392 | | | | |
| 20% | +6.3 | +5.9 | -6.8 | +2.6 | +57 | +101 | +132 | +119 | +21 | +3.0 | -5.9 | +77 | +9.0 | +1.4 | +1.5 | +1.0 | +3.3 | +2.7 | +0.68 | +0.84 | +0.94 | +228 | +383 | | | | |
| 25% | +5.7 | +5.4 | -6.3 | +2.9 | +55 | +99 | +129 | +115 | +20 | +2.8 | -5.6 | +75 | +8.4 | +1.1 | +1.1 | +0.9 | +3.1 | +2.5 | +0.72 | +0.86 | +0.94 | +222 | +376 | | | | |
| 30% | +5.1 | +4.9 | -6.0 | +3.1 | +54 | +97 | +126 | +112 | +19 | +2.6 | -5.4 | +73 | +7.8 | +0.8 | +0.8 | +0.8 | +2.9 | +2.4 | +0.74 | +0.88 | +0.96 | +218 | +369 | | | | |
| 35% | +4.5 | +4.4 | -5.7 | +3.4 | +53 | +95 | +124 | +108 | +19 | +2.5 | -5.2 | +71 | +7.4 | +0.6 | +0.5 | +0.7 | +2.6 | +2.3 | +0.76 | +0.90 | +0.98 | +213 | +363 | | | | |
| 40% | +4.0 | +3.9 | -5.4 | +3.6 | +52 | +93 | +121 | +105 | +18 | +2.3 | -5.0 | +69 | +7.0 | +0.3 | +0.2 | +0.6 | +2.5 | +2.2 | +0.80 | +0.92 | +1.00 | +209 | +357 | | | | |
| 45% | +3.4 | +3.5 | -5.1 | +3.8 | +51 | +92 | +119 | +102 | +18 | +2.2 | -4.9 | +68 | +6.5 | +0.1 | +0.0 | +0.6 | +2.3 | +2.0 | +0.82 | +0.94 | +1.02 | +204 | +350 | | | | |
| 50% | +2.8 | +3.0 | -4.8 | +4.0 | +50 | +90 | +117 | +100 | +17 | +2.1 | -4.7 | +66 | +6.2 | -0.1 | -0.3 | +0.5 | +2.1 | +2.0 | +0.84 | +0.96 | +1.02 | +200 | +344 | | | | |
| 55% | +2.2 | +2.5 | -4.5 | +4.3 | +49 | +88 | +114 | +97 | +16 | +2.0 | -4.5 | +64 | +5.8 | -0.3 | -0.6 | +0.4 | +1.9 | +1.9 | +0.86 | +0.98 | +1.04 | +196 | +338 | | | | |
| 60% | +1.6 | +2.0 | -4.2 | +4.5 | +48 | +87 | +112 | +94 | +16 | +1.8 | -4.3 | +63 | +5.4 | -0.5 | -0.8 | +0.3 | +1.8 | +1.8 | +0.88 | +1.00 | +1.06 | +191 | +332 | | | | |
| 65% | +1.0 | +1.5 | -3.9 | +4.7 | +47 | +85 | +110 | +91 | +15 | +1.7 | -4.2 | +61 | +5.0 | -0.7 | -1.1 | +0.3 | +1.6 | +1.7 | +0.92 | +1.02 | +1.08 | +186 | +324 | | | | |
| 70% | +0.2 | +0.9 | -3.5 | +5.0 | +46 | +83 | +107 | +88 | +15 | +1.6 | -4.0 | +59 | +4.6 | -0.9 | -1.4 | +0.2 | +1.4 | +1.6 | +0.94 | +1.04 | +1.10 | +181 | +317 | | | | |
| 75% | -0.6 | +0.3 | -3.2 | +5.2 | +44 | +81 | +105 | +84 | +14 | +1.4 | -3.8 | +57 | +4.2 | -1.2 | -1.7 | +0.1 | +1.2 | +1.5 | +0.96 | +1.08 | +1.10 | +175 | +308 | | | | |
| 80% | -1.6 | -0.4 | -2.8 | +5.5 | +43 | +79 | +101 | +80 | +13 | +1.3 | -3.5 | +55 | +3.7 | -1.4 | -2.1 | +0.0 | +1.0 | +1.4 | +1.00 | +1.10 | +1.12 | +168 | +298 | | | | |
| 85% | -2.7 | -1.4 | -2.3 | +5.9 | +41 | +76 | +98 | +76 | +12 | +1.1 | -3.2 | +53 | +3.1 | -1.8 | -2.5 | -0.2 | +0.8 | +1.2 | +1.04 | +1.14 | +1.16 | +159 | +285 | | | | |
| 90% | -4.3 | -2.5 | -1.6 | +6.3 | +39 | +73 | +93 | +69 | +11 | +0.8 | -2.8 | +49 | +2.3 | -2.2 | -3.1 | -0.3 | +0.5 | +1.0 | +1.08 | +1.18 | +1.18 | +147 | +267 | | | | |
| 95% | -7.0 | -4.4 | -0.7 | +7.0 | +36 | +68 | +85 | +60 | +10 | +0.4 | -2.0 | +44 | +1.2 | -2.8 | -3.9 | -0.6 | +0.0 | +7 | +1.16 | +1.26 | +1.24 | +129 | +239 | | | | |
| 99% | -12.7 | -8.5 | +1.3 | +8.5 | +29 | +57 | +70 | +41 | +6 | -0.4 | -0.2 | +34 | -1.2 | -4.2 | -5.6 | -1.1 | -0.8 | +0 | +1.30 | +1.38 | +1.34 | +94 | +187 | | | | |
| More Calving Difficulty | More Calving Difficulty | Longer Gestation Length | Heavier Birth Weight | Lighter Live Weight | Lighter Live Weight | Lighter Mature Weight | Lighter Live Weight | Lighter Live Weight | Smaller Scrotal Size | Longer Time to Calving | Lighter Carcase Weight | Smaller EMA | Less Fat | Less Fat | Lower Yield | Less IMF | Lower Feed Efficiency | Less Docile | Higher Score | Higher Score | Higher Score | Lower Profitability | Lower Profitability | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* The percentile bands represent the distribution of EBVs across the 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid July 2023 TransTasman Angus Cattle Evaluation

UNDERSTANDING THE TRANS TASMAN ANGUS CATTLE EVALUATION

TACE (TransTasman Angus Cattle Evaluation) is the genetic evaluation program adopted by Angus Australia for Angus and Angus infused beef cattle. TACE uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

TACE includes pedigree, performance and genomic information from the Angus Australia and New Zealand Angus Association databases to evaluate the genetics of animals across Australia and New Zealand. TACE analyses are conducted by the Agricultural Business Research Institute (ABRI), using software developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England. Ongoing TACE research and development is supported by Meat and Livestock Australia.

WHAT IS AN EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

USING EBVS TO COMPARE THE GENETICS OF TWO ANIMALS

Angus BREEDPLAN EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

USING EBVS TO BENCHMARK AN ANIMAL'S GENETICS WITH THE BREED

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals in Australia and New Zealand.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to:

- the breed average EBV
- the percentile table

The current breed average EBV and percentile table is provided in these explanatory notes.

CONSIDERING ACCURACY

An accuracy value is published in association with each EBV, which is usually displayed as a percentage value immediately below the EBV. The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

DESCRIPTION OF ANGUS BREEDPLAN EBVS

EBVs are calculated for a range of traits within the TransTasman Angus Cattle Evaluation, covering calving ease, growth, fertility,

maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this sale catalogue is provided below.

BIRTH

Calving Ease Direct (%): Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers. Higher EBVs indicate fewer calving difficulties in 2 year old heifers.

Calving Ease Daughters (%): Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age. Higher EBVs indicate fewer calving difficulties in 2 year old heifers.

Gestation Length (days): Genetic differences between animals in the length of time from the date of conception to the birth of the calf. Lower EBVs indicate shorter gestation length.

Birth Weight (kg): Genetic differences between animals in calf weight at birth. Lower EBVs indicate lighter birth weight.

GROWTH

200 Day Growth (kg): Genetic differences between animals in live weight at 200 days of age due to genetics for growth. Higher EBVs indicate heavier live weight.

400 Day Weight (kg): Genetic differences between animals in live weight at 400 days of age. Higher EBVs indicate heavier live weight.

600 Day Weight (kg): Genetic differences between animals in live weight at 600 days of age. Higher EBVs indicate heavier live weight.

Mature Cow Weight (kg): Genetic differences between animals in live weight of cows at 5 years of age. Higher EBVs indicate heavier mature weight.

Milk (kg): Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam. Higher EBVs indicate heavier live weight.

FERTILITY


Days to Calving (kg): Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving. Lower EBVs indicate shorter time to calving.

Scrotal Size (cm): Genetic differences between animals in scrotal circumference at 400 days of age. Higher EBVs indicate larger scrotal circumference.

RECESSIVE GENETIC CONDITIONS

The genetic status of an animal is subject to change and will be re-analysed and adjusted each week as DNA test results of relatives are received. **For information on recessive genes visit www.angusaustralia.com.au.**


REFERENCE SIREs

| BHRP758 | | DUNOON PRIME MINISTER P758 ^{SV} HBR | | | | | | | | | | Lots - 3, 4, 19, 29, 31, 33, 34, 35, 36, 38, 39, 40, 41, 48, 52, 75 | | | | | | |
|--|-------|--|-------|---|-----|------|------|------|--|-----------|------|---|-------|---------|------|------|------|--|
| DOB 05/08/2018 | | | | SIRE: NORL508 RENNYLEA L508 ^{PV} x DAM: BHRM1008 DUNOON JAPARA M1008 # | | | | | | | | | | | | | | |
| TACE | BIRTH | | | GROWTH | | | | | | FERTILITY | | | | CARCASE | | | | |
|  | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| EBV | +1.9 | +4.6 | -10.4 | +6.3 | +59 | +110 | +151 | +130 | +21 | +4.3 | -4.6 | +78 | +11.6 | -0.6 | -2.0 | +1.1 | +3.2 | |
| Acc | 74% | 58% | 98% | 98% | 98% | 97% | 96% | 86% | 72% | 96% | 54% | 80% | 82% | 82% | 82% | 77% | 81% | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics | | | | | | | | | |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics




| USA17960722 | | BALDRIDGE BEAST MODE B074 ^{PV} HBR | | | | | | | | Lots - 7, 20, 22, 25, 26, 27, 28, 30, 37, 43, 44, 49, 61, 70, 73 | | | | | | | | | |
|--|-------|---|------|--------|-----|------|------|------|------|--|------|-----|---------|-----------------|------|------|------|----------|--|
| DOB 07/02/2014 | | SIRE: USA16295688 G A R PROPHET ^{SV} x DAM: USA17149410 BALDRIDGE ISABEL Y69 # | | | | | | | | | | | | | | | | | |
| TACE | BIRTH | | | GROWTH | | | | | | FERTILITY | | | CARCASE | | | | | | |
|  | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | | |
| EBV | +5.3 | +5.5 | -3.5 | +3.4 | +74 | +119 | +144 | +130 | +12 | +2.7 | -3.7 | +74 | +2.4 | -2.2 | -3.6 | -0.1 | +2.3 | | |
| Acc | 97% | 85% | 99% | 99% | 99% | 99% | 99% | 98% | 98% | 99% | 75% | 96% | 94% | 95% | 95% | 93% | 94% | | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | TRAITS OBSERVED | | | | Genomics | |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED Genomics




| VLYM518 | | LAWSONS MOMENTOUS M518 ^{PV} HBR | | | | | | | | | | Lots - 13, 50, 53, 57, 58, 63, 66, 68, 69, 71, 72, 74 | | | | | | | | |
|---|-------|--|---|--------|-----|--|------|-----|------|-----------|------|---|-------|---------|------|------|------|--|--|--|
| DOB 30/06/2016 | | | SIRE: USA17354145 G A R MOMENTUM ^{PV} x DAM: VLYH229 LAWSONS AFRICA H229 ^{SV} | | | | | | | | | | | | | | | | | |
|  TACE | BIRTH | | | GROWTH | | | | | | FERTILITY | | | | CARCASE | | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | | | |
| EBV | -3.2 | -4.1 | -5.8 | +4.0 | +51 | +94 | +113 | +86 | +24 | +2.6 | -3.0 | +50 | +13.6 | -0.9 | -0.7 | +0.6 | +5.8 | | | |
| Acc | 96% | 83% | 99% | 99% | 99% | 99% | 99% | 98% | 97% | 99% | 72% | 96% | 94% | 94% | 94% | 91% | 94% | | | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | TRAITS OBSERVED GL,BWT,200WT(x2),400WT(x2),600WT,Scan(EMA,Rib,Rump,IMF),Genomics | | | | | | | | | | | | | | |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT(x2),400WT(x2),600WT,Scan(EMA,Rib,Rump,IMF),Genomics




| GTNM6 | | CHILTERN PARK MOE M6 ^{PV} HBR | | | | | | | | | | | Lots - 1, 2, 5, 8, 9, 10, 12, 16, 56, 59, 62 | | | | | |
|---|-------|---|--------|------|-----|------|------|-----|-----------|------|------|---------|--|------|------|------|------|--|
| DOB 05/03/2016 | | SIRE: VTMF734 TE MANIA FOE F734 ^{SV} x DAM: VSNF15 STRATHEWEN TIMEOUT JADE F15 ^{PV} | | | | | | | | | | | | | | | | |
|  TACE | BIRTH | | GROWTH | | | | | | FERTILITY | | | CARCASE | | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| EBV | +5.7 | +2.6 | -1.9 | +3.0 | +52 | +102 | +134 | +82 | +25 | +1.6 | -6.5 | +80 | +6.6 | -0.2 | +1.4 | +0.1 | +1.9 | |
| Acc | 93% | 74% | 99% | 99% | 99% | 99% | 98% | 94% | 92% | 98% | 60% | 92% | 91% | 90% | 91% | 84% | 91% | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | TRAITS OBSERVED BWT,200WT,Genomics | | | | | |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,Genomics



| NJWN498 | | MILWILLAH NAPA N498 ^{PV} HBR | | | | | | | | | | | | Lots - 14, 15, 18, 65, 67 | | | | |
|--|-------|--|--------|------|-----|-----|-----|-----|--|------|------|-----|---------|---------------------------|------|------|------|--|
| DOB 25/08/2017 | | SIRE: NZE14647008839 MATAURI REALITY 839 # x DAM: NJWH224 MILWILLAH BARUNAH H224 # | | | | | | | | | | | | | | | | |
|  | BIRTH | | GROWTH | | | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| EBV | +9.5 | +8.5 | -4.8 | +2.3 | +39 | +72 | +86 | +96 | +8 | +3.7 | -3.2 | +37 | +8.6 | +3.5 | +4.1 | -0.4 | +4.6 | |
| Acc | 83% | 71% | 98% | 98% | 97% | 97% | 97% | 91% | 84% | 96% | 60% | 83% | 84% | 84% | 83% | 79% | 83% | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics | | | | | | | | | |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics





SALE LOT INDEX

| ANIMAL ID | ANIMAL NAME | LOT |
|-----------|----------------------------------|-----|
| NDI21S9 | KENNY'S CREEK MOMENTOUS S9 | 53 |
| NDI21S10 | KENNY'S CREEK MOE S10 | 5 |
| NDI21S19 | KENNY'SCREEK BEAST MODE S19 | 73 |
| NDI21S25 | KENNY'S CREEK MOMENTOUS S25 | 68 |
| NDI21S26 | KENNY'S CREEK KEYSTONE S26 | 6 |
| NDI21S28 | KENNY'S CREEK BEAST MODE S28 | 49 |
| NDI21S30 | KENNY'S CREEK MOMENTOUS S30 | 57 |
| NDI21S32 | KENNY'S CREEK BEAST MODE S32 | 28 |
| NDI21S35 | KENNY'S CREEK MOMENTOUS S35 | 13 |
| NDI21S43 | KENNY'S CREEK MOE S43 | 8 |
| NDI21S45 | KENNY'S CREEK MOMENTOUS S45 | 69 |
| NDI21S47 | KENNY'S CREEK MOMENTOUS S47 | 58 |
| NDI21S48 | KENNY'S CREEK BEAST MODE S48 | 22 |
| NDI21S50 | KENNY'S CREEK MOE S50 | 12 |
| NDI21S51 | KENNY'S CREEK MOE S51 | 56 |
| NDI21S52 | KENNY'S CREEK BEAST MODE S52 | 27 |
| NDI21S58 | KENNY'S CREEK BEAST MODE S58 | 70 |
| NDI21S59 | KENNY'S CREEK MOE S59 | 16 |
| NDI21S64 | KENNY'S CREEK MOE S64 | 10 |
| NDI21S67 | KENNY'S CREEK MOMENTOUS S67 | 50 |
| NDI21S68 | KENNY'S CREEK MOE S68 | 59 |
| NDI21S69 | KENNY'S CREEK PRIME MINISTER S69 | 4 |
| NDI21S76 | KENNY'S CREEK PRIME MINISTER S76 | 19 |
| NDI21S78 | KENNY'S CREEK MOE S78 | 62 |
| NDI21S85 | KENNY'S CREEK PRIME MINISTER S85 | 3 |
| NDI21S88 | KENNY'S CREEK BEAST MODE S88 | 61 |
| NDI21S89 | KENNY'S CREEK PRIME MINISTER S89 | 48 |
| NDI21S93 | KENNY'S CREEK BEAST MODE S93 | 26 |
| NDI21S103 | KENNY'S CREEK MOE S103 | 9 |
| NDI21S104 | KENNY'S CREEK NAPA S104 | 67 |
| NDI21S105 | KENNY'S CREEK MOE S105 | 2 |
| NDI21S110 | KENNY'S CREEK NAPA S110 | 14 |
| NDI21S112 | KENNY'S CREEK MOMENTOUS S112 | 71 |
| NDI21S113 | KENNY'S CREEK MOMENTOUS S113 | 72 |
| NDI21S117 | KENNY'S CREEK MOMENTOUS S117 | 66 |
| NDI21S130 | KENNY'S CREEK KICKING S130 | 11 |
| NDI21S134 | KENNY'S CREEK BEAST MODE S134 | 20 |
| NDI21S136 | KENNY'S CREEK MOMENTOUS S136 | 63 |

| ANIMAL ID | ANIMAL NAME | LOT |
|-----------|-----------------------------------|-----|
| NDI21S137 | KENNY'S CREEK NAPA S137 | 18 |
| NDI21S139 | KENNY'S CREEK BEAST MODE S139 | 7 |
| NDI21S140 | KENNY'S CREEK MOE S140 | 1 |
| NDI21S145 | KENNY'S CREEK BEAST MODE S145 | 25 |
| NDI21S148 | KENNY'S CREEK PAYWEIGHT S148 | 46 |
| NDI21S149 | KENNY'S CREEK PRIME MINISTER S149 | 52 |
| NDI21S151 | KENNY'S CREEK COMPASS S151 | 21 |
| NDI21S162 | KENNY'S CREEK KODAK S162 | 55 |
| NDI21S166 | KENNY'S CREEK NAPA S166 | 15 |
| NDI21S169 | KENNY'S CREEK PAYWEIGHT S169 | 23 |
| NDI21S174 | KENNY'S CREEK MOMENTOUS S174 | 74 |
| NDI21S175 | KENNY'S CREEK PRIME MINISTER S175 | 75 |
| NDI21S178 | KENNY'S CREEK NAPA S178 | 65 |
| NDI21S185 | KENNY'S CREEK PAYWEIGHT S185 | 24 |
| NDI21S189 | KENNY'S CREEK DRIVE S189 | 60 |
| NDI21S190 | KENNY'S CREEK DRIVE S190 | 64 |
| NDI21S193 | KENNY'S CREEK DRIVE S193 | 51 |
| NDI21S194 | KENNY'S CREEK CAPITALIST S194 | 45 |
| NDI21S196 | KENNY'S CREEK DRIVE S196 | 17 |
| NDI21S203 | KENNY'S CREEK DRIVE S203 | 54 |
| NDI21S204 | KENNY'S CREEK CAPITALIST S204 | 47 |
| NDI22T3 | KENNY'S CREEK KICKING T3 | 42 |
| NDI22T402 | KENNY'S CREEK BEAST MODE T402 | 43 |
| NDI22T403 | KENNY'S CREEK PRIME MINISTER T403 | 33 |
| NDI22T404 | KENNY'S CREEK PRIME MINISTER T404 | 35 |
| NDI22T406 | KENNY'S CREEK BEAST MODE T406 | 37 |
| NDI22T411 | KENNY'S CREEK BEAST MODE T411 | 44 |
| NDI22T413 | KENNY'S CREEK NEW GROUND T413 | 32 |
| NDI22T414 | KENNY'S CREEK PRIME MINISTER T414 | 38 |
| NDI22T419 | KENNY'S CREEK BEAST MODE T419 | 30 |
| NDI22T425 | KENNY'S CREEK PRIME MINISTER T425 | 40 |
| NDI22T427 | KENNY'S CREEK PRIME MINISTER T427 | 31 |
| NDI22T434 | KENNY'S CREEK PRIME MINISTER T434 | 41 |
| NDI22T435 | KENNY'S CREEK PRIME MINISTER T435 | 36 |
| NDI22T436 | KENNY'S CREEK PRIME MINISTER T436 | 34 |
| NDI22T437 | KENNY'S CREEK PRIME MINISTER T437 | 29 |
| NDI22T441 | KENNY'S CREEK PRIME MINISTER T441 | 39 |

EBV QUICK REFERENCE FOR KENNY’S CREEK BULL SALE

| CALVING EASE | | | | | | | | | | BIRTH | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | OTHER | | | | SELECTION INDEXES | | | |
|--------------|-----------|-------|--------|-------|------|-----|------|------|------|-------|------|--------|-----|-------|------|-----------|------|------|-------|---------|-------|-------|-------|-------|-------|------|--|--|-------------------|--|--|--|
| Lot | Animal ID | CEDir | CEDtrs | GL | BWT | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBV | IMF | NFI-F | DOC | Claw | Angle | Leg | \$A | \$A-L | | | | | | | |
| 1 | NDI21S140 | +7.3 | +6.6 | -4.2 | +2.2 | +60 | +110 | +149 | +93 | +30 | +1.8 | -5.8 | +93 | +4.0 | -1.1 | -0.9 | -0.1 | +2.3 | +0.01 | +31 | +0.84 | +0.98 | +1.06 | \$260 | \$425 | | | | | | | |
| 2 | NDI21S105 | +4.7 | +3.2 | -7.9 | +3.4 | +50 | +96 | +119 | +84 | +21 | +1.9 | -6.4 | +67 | +9.3 | -0.5 | -1.2 | +0.8 | +1.7 | +0.48 | +31 | +0.74 | +0.94 | +0.88 | \$238 | \$385 | | | | | | | |
| 3 | NDI21S85 | +2.6 | +4.3 | -6.5 | +5.3 | +55 | +110 | +138 | +111 | +22 | +5.4 | -4.5 | +74 | +9.2 | +0.6 | -0.2 | +0.3 | +4.2 | +0.76 | +24 | +0.48 | +0.78 | +1.02 | \$242 | \$409 | | | | | | | |
| 4 | NDI21S69 | +6.1 | +7.0 | -12.9 | +2.1 | +44 | +93 | +125 | +97 | +27 | +2.3 | -4.5 | +69 | +8.1 | +2.8 | +3.3 | -0.6 | +4.6 | +0.82 | +29 | +0.68 | +0.68 | +1.00 | \$221 | \$380 | | | | | | | |
| 5 | NDI21S10 | +10.0 | +6.6 | -8.6 | +1.6 | +39 | +73 | +103 | +46 | +26 | -0.4 | -5.3 | +54 | +8.5 | +1.6 | +2.2 | +0.3 | +2.4 | +0.43 | +38 | +0.58 | +0.86 | +0.94 | \$228 | \$344 | | | | | | | |
| 6 | NDI21S26 | +10.3 | +9.5 | -6.8 | -0.4 | +52 | +99 | +133 | +106 | +25 | +2.7 | -5.8 | +86 | +0.4 | +2.3 | +1.2 | -0.6 | +2.2 | +0.33 | +21 | +0.66 | +0.90 | +1.06 | \$212 | \$387 | | | | | | | |
| 7 | NDI21S139 | -1.1 | +2.9 | -0.9 | +5.2 | +66 | +111 | +134 | +128 | +13 | +3.3 | -4.7 | +76 | +1.6 | -0.9 | -1.6 | +0.3 | +0.9 | -0.20 | +22 | +0.70 | +0.76 | +0.82 | \$202 | \$366 | | | | | | | |
| 8 | NDI21S43 | -1.8 | +0.6 | -2.2 | +4.7 | +55 | +94 | +120 | +83 | +18 | +1.7 | -5.1 | +67 | +3.4 | -0.9 | -1.0 | +0.3 | +0.7 | -0.08 | +32 | +0.72 | +0.90 | +1.06 | \$195 | \$317 | | | | | | | |
| 9 | NDI21S103 | +7.2 | +5.3 | -6.0 | +2.1 | +49 | +95 | +124 | +78 | +25 | +2.5 | -5.3 | +68 | +7.4 | +1.4 | +2.6 | -0.3 | +4.1 | +0.74 | +41 | +0.70 | +0.96 | +0.94 | \$250 | \$400 | | | | | | | |
| 10 | NDI21S64 | +0.0 | -1.2 | -2.2 | +3.8 | +61 | +106 | +136 | +101 | +21 | +2.3 | -5.6 | +84 | +8.8 | -0.3 | -0.7 | +0.8 | +1.6 | +0.37 | +30 | +0.66 | +0.78 | +1.06 | \$246 | \$392 | | | | | | | |
| 11 | NDI21S130 | -0.6 | +5.3 | -8.3 | +5.5 | +58 | +109 | +134 | +130 | +17 | +2.2 | -5.5 | +69 | +4.2 | -1.3 | -2.3 | +0.6 | +0.6 | -0.39 | +33 | +0.84 | +0.92 | +0.86 | \$195 | \$363 | | | | | | | |
| 12 | NDI21S50 | +1.3 | +1.1 | -2.4 | +4.5 | +55 | +109 | +146 | +136 | +13 | +3.0 | -5.7 | +78 | +4.2 | -0.2 | -0.3 | -0.2 | +2.6 | +0.19 | +29 | +0.54 | +1.04 | +0.98 | \$204 | \$383 | | | | | | | |
| 13 | NDI21S35 | -0.3 | +0.6 | -4.2 | +3.9 | +45 | +86 | +99 | +74 | +20 | +3.3 | -4.5 | +45 | +8.0 | +1.6 | +0.7 | +0.2 | +3.8 | +0.77 | +34 | +0.62 | +0.78 | +0.98 | \$203 | \$323 | | | | | | | |
| 14 | NDI21S110 | -1.8 | +3.1 | -2.2 | +6.7 | +55 | +91 | +118 | +129 | +8 | +3.9 | -4.0 | +57 | +9.1 | -1.5 | -1.3 | +0.7 | +2.8 | +0.69 | +14 | +0.80 | +1.00 | +1.04 | \$184 | \$338 | | | | | | | |
| 15 | NDI21S166 | +1.3 | +2.5 | -4.4 | +5.5 | +51 | +87 | +128 | +145 | +8 | +2.5 | -1.8 | +62 | +4.3 | -0.2 | -0.7 | -0.1 | +3.7 | +0.11 | +16 | +0.56 | +0.82 | +1.10 | \$145 | \$305 | | | | | | | |
| 16 | NDI21S59 | +2.8 | +3.5 | -0.2 | +4.0 | +51 | +97 | +124 | +92 | +17 | +2.1 | -6.5 | +74 | +8.0 | -0.1 | +0.6 | +0.1 | +4.1 | +0.39 | +30 | +0.84 | +0.94 | +0.94 | \$251 | \$405 | | | | | | | |
| 17 | NDI21S196 | -3.8 | +2.6 | -5.7 | +5.1 | +52 | +91 | +114 | +94 | +8 | +2.4 | -4.7 | +54 | +15.1 | +2.3 | +3.1 | +1.2 | +2.1 | +0.55 | +22 | +0.76 | +0.94 | +1.06 | \$234 | \$367 | | | | | | | |
| 18 | NDI21S137 | -3.3 | -0.7 | +0.0 | +7.1 | +48 | +83 | +108 | +99 | +10 | +3.6 | -3.6 | +55 | +3.6 | +0.7 | +1.0 | -0.6 | +3.9 | +0.44 | +14 | +0.32 | +0.72 | +0.90 | \$159 | \$282 | | | | | | | |
| 19 | NDI21S76 | +2.4 | +5.2 | -8.0 | +3.7 | +44 | +75 | +105 | +79 | +20 | +2.8 | -5.4 | +51 | +10.2 | +1.9 | +1.8 | +0.5 | +2.3 | +0.59 | +28 | +0.64 | +0.76 | +1.00 | \$206 | \$336 | | | | | | | |
| 20 | NDI21S134 | +3.8 | +6.1 | -5.2 | +3.6 | +62 | +97 | +122 | +88 | +20 | +3.1 | -5.9 | +59 | +4.6 | -1.0 | -1.9 | +0.1 | +3.0 | +0.29 | +13 | +0.64 | +0.74 | +0.86 | \$248 | \$396 | | | | | | | |
| 21 | NDI21S151 | -1.4 | -1.7 | -1.0 | +5.1 | +50 | +86 | +110 | +75 | +22 | +3.2 | -4.4 | +56 | +6.4 | +1.6 | +0.8 | -0.8 | +4.5 | +0.51 | +21 | +0.64 | +0.90 | +0.92 | \$197 | \$310 | | | | | | | |
| 22 | NDI21S48 | +2.1 | +0.5 | -2.6 | +4.7 | +55 | +98 | +123 | +107 | +13 | +1.9 | -5.2 | +61 | -0.5 | -0.2 | -1.1 | -0.5 | +3.1 | +0.00 | +27 | +0.46 | +0.64 | +0.72 | \$196 | \$345 | | | | | | | |
| 23 | NDI21S169 | +2.0 | +4.8 | -7.4 | +4.8 | +63 | +116 | +146 | +124 | +21 | +1.7 | -5.1 | +81 | +0.9 | -0.3 | -2.1 | -0.2 | +1.9 | -0.10 | +14 | +0.74 | +0.84 | +1.02 | \$219 | \$390 | | | | | | | |
| 24 | NDI21S185 | +2.7 | +5.6 | -4.8 | +3.2 | +55 | +103 | +133 | +110 | +21 | +1.6 | -5.1 | +66 | +3.8 | -0.9 | -2.0 | -0.3 | +4.1 | -0.14 | +16 | +1.00 | +1.04 | +0.84 | \$222 | \$383 | | | | | | | |
| 25 | NDI21S145 | +8.0 | +7.6 | -1.6 | +1.8 | +46 | +79 | +97 | +73 | +18 | +1.4 | -4.4 | +55 | +3.6 | -0.1 | -0.1 | +0.2 | +2.6 | +0.43 | +26 | +0.78 | +0.76 | +1.06 | \$201 | \$336 | | | | | | | |
| 26 | NDI21S93 | -0.9 | +2.4 | -5.6 | +6.5 | +63 | +103 | +121 | +91 | +13 | +3.6 | -4.6 | +65 | +3.6 | -3.6 | -4.6 | +0.8 | +1.5 | -0.23 | +25 | +0.46 | +0.70 | +0.84 | \$216 | \$349 | | | | | | | |
| 27 | NDI21S52 | +3.7 | +4.1 | -0.8 | +2.8 | +50 | +87 | +106 | +101 | +14 | +1.3 | -5.2 | +53 | +7.3 | -0.6 | -1.8 | +0.5 | +3.8 | +0.40 | +20 | +0.72 | +0.80 | +0.78 | \$214 | \$363 | | | | | | | |
| 28 | NDI21S32 | +1.2 | +3.7 | -5.7 | +5.5 | +69 | +117 | +134 | +122 | +14 | +4.1 | -5.9 | +73 | +2.2 | -1.0 | -2.2 | -0.2 | +2.7 | -0.02 | +23 | +0.82 | +0.82 | +0.88 | \$238 | \$411 | | | | | | | |
| 29 | NDI22T437 | +3.0 | +5.1 | -9.7 | +4.9 | +50 | +98 | +136 | +114 | +20 | +5.1 | -3.9 | +63 | +9.2 | -1.6 | -1.7 | +1.0 | +2.3 | +0.55 | +35 | +0.76 | +1.06 | +1.22 | \$204 | \$364 | | | | | | | |
| 30 | NDI22T419 | +6.2 | +3.5 | -4.9 | +2.7 | +59 | +102 | +124 | +107 | +18 | +3.6 | -4.0 | +67 | +5.2 | -1.2 | -1.2 | +0.7 | +0.5 | +0.11 | +27 | +0.76 | +0.90 | +0.96 | \$207 | \$366 | | | | | | | |
| 31 | NDI22T427 | +7.0 | +4.6 | -12.1 | +5.3 | +69 | +122 | +170 | +152 | +16 | +4.5 | -4.2 | +95 | +6.0 | -0.7 | -1.2 | +0.6 | +1.2 | +0.28 | +35 | +0.96 | +0.90 | +0.96 | \$240 | \$444 | | | | | | | |
| 32 | NDI22T413 | -0.1 | +1.3 | -6.2 | +4.3 | +51 | +94 | +131 | +115 | +17 | +4.4 | -5.7 | +68 | +7.5 | +1.0 | +0.5 | +0.7 | +1.0 | +0.37 | +24 | +0.68 | +0.78 | +0.90 | \$195 | \$350 | | | | | | | |
| 33 | NDI22T403 | +1.9 | +5.6 | -8.2 | +6.2 | +59 | +109 | +151 | +149 | +19 | +4.0 | -4.7 | +75 | +6.4 | -1.9 | -2.7 | +0.7 | +2.5 | +0.06 | +23 | +0.36 | +0.60 | +0.78 | \$208 | \$395 | | | | | | | |
| 34 | NDI22T436 | +8.5 | +5.5 | -8.9 | +2.2 | +50 | +98 | +131 | +97 | +23 | +3.5 | -7.0 | +77 | +9.3 | +2.5 | +3.4 | +0.1 | +3.7 | +0.63 | +29 | +1.00 | +1.04 | +0.86 | \$266 | \$440 | | | | | | | |
| 35 | NDI22T404 | +6.3 | +5.1 | -7.7 | +4.2 | +58 | +110 | +154 | +130 | +20 | +3.5 | -4.1 | +87 | +4.0 | -0.6 | -0.5 | +0.0 | +3.1 | +0.21 | +35 | +0.46 | +0.70 | +1.04 | \$225 | \$407 | | | | | | | |
| 36 | NDI22T435 | +0.4 | +3.1 | -10.5 | +6.3 | +56 | +101 | +141 | +120 | +22 | +2.9 | -4.3 | +79 | +9.9 | -0.6 | -1.9 | +0.9 | +2.0 | +0.43 | +30 | +0.74 | +0.96 | +1.02 | \$213 | \$369 | | | | | | | |
| 37 | NDI22T406 | +6.7 | +5.4 | -6.3 | +3.4 | +62 | +108 | +135 | +123 | +14 | +1.5 | -3.3 | +73 | +2.8 | -1.6 | -1.7 | +0.4 | +1.4 | -0.30 | +32 | - | - | - | \$212 | \$384 | | | | | | | |
| 38 | NDI22T414 | -0.8 | +2.2 | -7.8 | +5.8 | +51 | +90 | +122 | +103 | +14 | +1.3 | -5.6 | +67 | +12.0 | -0.4 | +1.1 | +1.1 | +2.0 | +0.71 | +29 | +0.72 | +0.78 | +0.90 | \$228 | \$372 | | | | | | | |
| | CEDir | +2.2 | +2.6 | -4.8 | +4.1 | +50 | +90 | +117 | +100 | +17 | +2.1 | -4.6 | +66 | +6.3 | +0.0 | -0.3 | +0.5 | +2.2 | +0.19 | +20 | +0.84 | +0.97 | +1.03 | \$A | \$A-L | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | \$A | \$A-L | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | +197 | +339 | | | | | | |

Top 20%



KENNY'S CREEK

SALE LOTS

| CALVING EASE | | | | BIRTH | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | OTHER | | | | SELECTION INDEXES | | | |
|--------------|-----------|-------|--------|-------|------|--------|------|------|------|-----------|------|------|-----|---------|------|------|------|-------|-------|-----|-------|-------------------|-------|-------|-------|
| Lot | Animal ID | CEDir | CEDtrs | GL | BWT | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBV | IMF | NFI-F | DOC | Claw | Angle | Leg | \$A | \$A-L |
| 39 | NDI22T441 | +3.3 | +5.1 | -7.3 | +3.7 | +54 | +94 | +124 | +103 | +19 | +3.5 | -4.8 | +74 | +5.1 | -0.3 | -1.5 | -0.1 | +4.9 | +0.17 | +24 | +0.70 | +0.82 | +1.02 | \$224 | \$378 |
| 40 | NDI22T425 | +4.3 | -3.1 | -7.1 | +4.2 | +51 | +92 | +132 | +99 | +21 | +4.4 | -7.2 | +68 | +10.0 | +1.3 | +0.8 | +0.7 | +3.2 | +0.64 | +29 | +0.76 | +0.88 | +0.90 | \$249 | \$403 |
| 41 | NDI22T434 | +6.7 | +8.0 | -8.1 | +4.2 | +52 | +98 | +139 | +125 | +25 | +3.9 | -3.6 | +73 | +5.7 | -0.1 | -1.3 | +0.1 | +4.2 | +0.30 | +23 | +0.46 | +0.80 | +0.96 | \$208 | \$384 |
| 42 | NDI22T3 | +5.1 | +4.5 | -6.8 | +2.4 | +48 | +86 | +108 | +87 | +18 | +3.5 | -7.2 | +59 | +2.2 | +1.9 | +0.6 | -0.1 | +3.0 | +0.07 | +32 | +1.10 | +1.04 | +1.10 | \$218 | \$369 |
| 43 | NDI22T402 | +5.1 | +3.9 | -5.8 | +2.9 | +59 | +103 | +125 | +104 | +16 | +4.1 | -5.6 | +64 | +3.9 | -0.2 | -0.4 | -0.4 | +1.9 | +0.21 | +27 | +0.50 | +0.78 | +0.84 | \$216 | \$380 |
| 44 | NDI22T411 | +4.9 | +4.4 | -6.1 | +3.2 | +60 | +103 | +129 | +114 | +17 | +2.3 | -4.5 | +71 | +3.2 | -0.9 | -1.3 | +0.1 | +1.7 | +0.09 | +27 | +0.50 | +0.52 | +0.80 | \$211 | \$375 |
| 45 | NDI21S194 | +6.5 | +1.0 | -6.1 | +1.5 | +46 | +87 | +110 | +91 | +17 | +1.2 | -4.5 | +76 | +9.6 | +2.0 | +2.0 | +0.5 | +2.9 | +0.61 | +16 | +1.02 | +0.88 | +0.96 | \$220 | \$365 |
| 46 | NDI21S148 | -0.8 | +0.6 | -6.2 | +3.4 | +58 | +108 | +135 | +118 | +22 | +0.9 | -7.6 | +84 | +1.6 | +1.6 | +3.0 | -0.5 | +2.4 | -0.29 | +13 | +0.84 | +0.72 | +0.90 | \$236 | \$402 |
| 47 | NDI21S204 | -3.1 | -0.2 | -2.5 | +6.7 | +66 | +117 | +144 | +150 | +9 | +1.9 | -4.8 | +88 | +6.6 | -1.2 | -2.4 | +1.1 | +0.3 | -0.26 | +15 | +0.86 | +1.10 | +0.90 | \$205 | \$379 |
| 48 | NDI21S89 | +9.2 | +7.9 | -7.7 | +2.2 | +43 | +93 | +122 | +106 | +20 | +2.9 | -5.7 | +66 | +11.5 | +1.3 | +0.5 | +1.1 | +3.0 | +0.43 | +26 | +0.76 | +0.88 | +1.06 | \$235 | \$410 |
| 49 | NDI21S28 | +3.8 | +3.2 | -5.9 | +4.5 | +58 | +91 | +117 | +108 | +13 | +0.6 | -4.2 | +58 | +1.7 | -1.5 | -2.7 | +0.2 | +2.5 | -0.38 | +28 | +0.58 | +0.74 | +0.94 | \$197 | \$344 |
| 50 | NDI21S67 | -7.8 | -3.3 | -1.4 | +6.4 | +67 | +114 | +139 | +130 | +21 | +2.5 | -2.9 | +70 | +6.3 | -2.2 | -3.2 | +0.6 | +3.5 | -0.25 | +31 | +0.82 | +1.00 | +0.96 | \$203 | \$341 |
| 51 | NDI21S193 | -6.4 | +4.1 | -5.4 | +5.4 | +51 | +99 | +119 | +99 | +16 | +0.2 | -2.7 | +68 | +15.6 | -2.2 | -3.6 | +2.1 | +1.7 | +0.17 | +18 | +0.80 | +0.94 | +0.98 | \$205 | \$326 |
| 52 | NDI21S149 | +7.6 | +6.2 | -14.1 | +4.5 | +58 | +106 | +149 | +119 | +25 | +5.0 | -6.1 | +81 | +4.6 | +1.5 | +0.9 | +0.0 | +1.4 | +0.65 | +26 | +0.70 | +0.76 | +1.00 | \$230 | \$414 |
| 53 | NDI21S9 | +4.1 | +2.3 | -8.9 | +1.7 | +46 | +84 | +106 | +78 | +25 | +2.0 | -2.6 | +63 | +13.3 | -1.4 | -0.7 | +1.4 | +4.3 | +0.43 | +29 | +1.12 | +1.18 | +1.30 | \$229 | \$354 |
| 54 | NDI21S203 | -3.9 | -0.4 | -0.3 | +5.6 | +53 | +109 | +136 | +124 | +16 | +0.4 | -3.0 | +75 | +8.3 | -2.3 | -1.9 | +0.9 | +1.7 | -0.08 | +21 | +0.76 | +0.78 | +0.92 | \$186 | \$330 |
| 55 | NDI21S162 | +2.3 | +3.7 | -5.1 | +4.4 | +55 | +100 | +125 | +106 | +16 | +2.8 | -7.9 | +75 | +5.1 | +4.8 | +4.3 | -0.9 | +3.2 | +0.55 | -3 | +0.54 | +0.96 | +0.98 | \$244 | \$413 |
| 56 | NDI21S51 | +2.9 | +3.3 | -1.9 | +4.7 | +53 | +94 | +128 | +91 | +23 | +1.8 | -6.2 | +69 | +10.3 | +0.5 | +0.7 | +0.6 | +1.7 | +0.11 | +33 | +0.96 | +1.04 | +0.94 | \$241 | \$388 |
| 57 | NDI21S30 | -1.0 | -11.0 | -6.4 | +4.3 | +51 | +98 | +118 | +101 | +20 | +2.9 | -6.3 | +61 | +10.0 | -0.2 | -0.1 | +0.2 | +5.6 | +0.77 | +27 | +1.28 | +1.14 | +1.08 | \$234 | \$372 |
| 58 | NDI21S47 | -0.9 | -2.1 | -3.5 | +5.3 | +67 | +114 | +148 | +141 | +18 | +3.4 | -3.7 | +73 | +10.5 | -3.7 | -4.9 | +0.7 | +3.9 | +0.42 | +33 | +0.66 | +0.72 | +0.92 | \$227 | \$394 |
| 59 | NDI21S68 | +2.8 | +4.2 | +0.3 | +4.6 | +51 | +100 | +139 | +111 | +24 | +3.7 | -7.5 | +77 | +4.8 | +0.6 | +1.8 | -0.5 | +4.2 | +0.18 | +30 | +0.92 | +1.02 | +1.10 | \$241 | \$412 |
| 60 | NDI21S189 | -2.4 | +4.9 | -4.6 | +5.8 | +56 | +107 | +137 | +144 | +6 | +2.6 | -4.6 | +75 | +6.1 | -0.5 | -1.0 | +0.7 | +2.1 | +0.64 | +19 | +1.10 | +1.14 | +1.16 | \$195 | \$368 |
| 61 | NDI21S88 | -0.9 | +3.1 | -6.9 | +5.6 | +62 | +104 | +122 | +101 | +14 | +3.2 | -4.5 | +65 | +2.8 | -1.1 | -1.8 | -0.2 | +2.5 | +0.01 | +26 | +0.66 | +0.64 | +0.96 | \$209 | \$351 |
| 62 | NDI21S78 | +5.9 | +3.7 | +2.1 | +2.4 | +46 | +78 | +96 | +49 | +20 | +0.2 | -6.2 | +54 | +0.5 | +1.6 | +3.9 | -0.8 | +2.0 | +0.26 | +36 | +0.76 | +0.82 | +1.10 | \$216 | \$333 |
| 63 | NDI21S136 | +4.1 | +3.2 | -4.0 | +2.5 | +42 | +70 | +84 | +63 | +16 | +1.8 | -6.3 | +38 | +9.7 | +1.3 | +0.3 | +0.2 | +6.1 | +0.97 | +32 | +0.48 | +0.86 | +1.10 | \$237 | \$360 |
| 64 | NDI21S190 | -0.8 | -0.8 | -4.6 | +4.2 | +50 | +97 | +120 | +97 | +13 | +0.8 | -5.3 | +69 | +7.7 | +0.2 | -1.1 | +0.7 | +2.9 | +0.18 | +25 | +0.84 | +1.16 | +1.12 | \$220 | \$358 |
| 65 | NDI21S178 | +4.6 | +9.1 | -1.5 | +4.0 | +48 | +82 | +105 | +86 | +9 | +4.5 | -5.9 | +49 | +7.5 | +2.0 | +2.1 | +0.0 | +3.8 | +0.67 | +19 | +0.34 | +0.72 | +0.92 | \$229 | \$380 |
| 66 | NDI21S117 | +6.7 | +4.3 | -4.7 | +1.8 | +44 | +85 | +104 | +53 | +28 | +1.5 | -4.4 | +57 | +13.8 | +0.4 | +0.9 | +0.1 | +6.3 | +1.16 | +31 | +0.94 | +0.92 | +1.20 | \$262 | \$386 |
| 67 | NDI21S104 | +5.5 | +7.6 | -7.9 | +4.4 | +54 | +100 | +125 | +137 | +12 | +4.7 | -5.9 | +55 | +1.9 | +0.6 | -0.1 | -0.5 | +4.4 | +0.39 | +20 | +0.42 | +0.72 | +1.26 | \$207 | \$399 |
| 68 | NDI21S25 | -5.8 | -3.1 | -5.7 | +4.5 | +51 | +92 | +115 | +81 | +24 | +3.6 | -5.4 | +57 | +10.4 | -0.8 | -0.7 | +0.6 | +4.2 | +0.72 | +29 | +0.74 | +0.88 | +1.04 | \$222 | \$335 |
| 69 | NDI21S45 | -7.5 | -8.3 | -5.1 | +5.7 | +66 | +117 | +141 | +138 | +18 | +1.3 | -2.4 | +75 | +12.4 | -2.5 | -3.3 | +1.2 | +2.3 | -0.02 | +32 | +0.86 | +0.86 | +0.98 | \$201 | \$341 |
| 70 | NDI21S58 | +7.2 | +4.6 | -1.5 | +2.1 | +52 | +92 | +115 | +90 | +15 | +2.6 | -5.3 | +68 | +7.9 | -0.2 | -0.3 | +0.5 | +3.1 | +0.16 | +29 | +0.74 | +0.74 | +0.98 | \$238 | \$393 |
| 71 | NDI21S112 | +0.4 | -3.8 | -4.7 | +2.7 | +42 | +72 | +89 | +56 | +27 | +2.2 | -4.4 | +44 | +11.0 | +0.2 | +0.9 | +0.3 | +5.8 | +0.61 | +27 | +0.52 | +0.76 | +1.14 | \$217 | \$315 |
| 72 | NDI21S113 | -1.8 | +0.3 | -5.7 | +5.5 | +50 | +93 | +115 | +125 | +15 | +0.9 | -4.7 | +50 | +4.5 | -0.5 | -1.5 | -0.5 | +5.8 | +0.56 | +22 | +0.86 | +0.84 | +0.88 | \$186 | \$337 |
| 73 | NDI21S19 | +4.7 | +3.1 | -6.7 | +4.6 | +58 | +94 | +120 | +89 | +20 | +2.9 | -5.5 | +62 | +1.4 | -2.3 | -3.3 | +0.4 | +2.1 | -0.12 | +21 | +0.56 | +0.66 | +0.78 | \$218 | \$359 |
| 74 | NDI21S174 | -9.9 | -3.4 | -4.0 | +7.3 | +61 | +103 | +129 | +122 | +20 | +3.3 | -4.2 | +62 | +12.2 | -3.1 | -4.7 | +0.8 | +5.9 | +0.85 | +23 | +0.82 | +0.88 | +1.16 | \$213 | \$343 |
| 75 | NDI21S175 | +0.4 | +0.8 | -6.1 | +6.0 | +61 | +110 | +148 | +123 | +22 | +2.9 | -4.9 | +85 | +9.6 | -0.1 | -1.0 | +1.0 | +2.9 | +0.43 | +28 | +0.78 | +1.04 | +1.02 | \$251 | \$415 |
| | | CEDir | CEDtrs | GL | BWT | 200 | 400 | 600 | MCW | Milk | SS | DTC | CWT | EMA | Rib | P8 | RBV | IMF | NFI-F | DOC | Claw | Angle | Leg | \$A | \$A-L |
| | | +2.2 | +2.6 | -4.8 | +4.1 | +50 | +90 | +117 | +100 | +17 | +2.1 | -4.6 | +66 | +6.3 | +0.0 | -0.3 | +0.5 | +2.2 | +0.19 | +20 | +0.84 | +0.97 | +1.03 | +197 | +339 |

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 1. KENNY'S CREEK MOE S140^{PV} (HBR)**

ANIMAL ID NDI21S140

DOB 10/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 7.3 | 6.6 | -4.2 | 2.2 | 60 | 110 | 149 | 93 | 30 | 1.8 | -5.8 | 93 | 4 | -1.1 | -0.9 | -0.1 | 2.3 |
| Acc | 63% | 51% | 83% | 74% | 74% | 72% | 74% | 70% | 65% | 75% | 41% | 64% | 64% | 65% | 65% | 59% | 68% |
| Perc | 14 | 15 | 59 | 15 | 12 | 7 | 5 | 62 | 1 | 60 | 21 | 3 | 77 | 73 | 61 | 81 | 43 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$260 | \$425 | 6 | 6 | 6 | 6 | 5 | 6 | C+ | 5 |

GTNM6CHILTERN PARK MOE M6^{PV}VTMF734 TE MANIA FOE F734^{SV}VSNF15 STRATHEWEN TIMEOUT JADE F15^{PV}NDIQ447 KENNY'S CREEK BARA Q447^{PV}USA17038724 BASIN PAYWEIGHT 1682^{PV}NDIL101 KENNY'S CREEK BARA L101^{SV}

PURCHASER

PRICE

**LOT 2. KENNY'S CREEK MOE S105^{PV} (HBR)**

ANIMAL ID NDI21S105

DOB 4/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 4.7 | 3.2 | -7.9 | 3.4 | 50 | 96 | 119 | 84 | 21 | 1.9 | -6.4 | 67 | 9.3 | -0.5 | -1.2 | 0.8 | 1.7 |
| Acc | 65% | 53% | 83% | 75% | 74% | 72% | 75% | 70% | 66% | 75% | 42% | 65% | 65% | 66% | 66% | 59% | 68% |
| Perc | 34 | 48 | 10 | 35 | 49 | 34 | 46 | 76 | 22 | 56 | 11 | 49 | 17 | 60 | 66 | 28 | 61 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$238 | \$385 | 6 | 6 | 5 | 5 | 5 | 5 | C+ | 4 |

GTNM6CHILTERN PARK MOE M6^{PV}VTMF734 TE MANIA FOE F734^{SV}VSNF15 STRATHEWEN TIMEOUT JADE F15^{PV}NDIQ402 KENNY'S CREEK WILCOOLA Q402^{PV}

USA17366506 H P C A INTENSITY #

NDIH303 KENNY'S CREEK WILCOOLA H303^{SV}

PURCHASER

PRICE

**LOT 3. KENNY'S CREEK PRIME MINISTER S85^{PV} (HBR)**

ANIMAL ID NDI21S85

DOB 31/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.6 | 4.3 | -6.5 | 5.3 | 55 | 110 | 138 | 111 | 22 | 5.4 | -4.5 | 74 | 9.2 | 0.6 | -0.2 | 0.3 | 4.2 |
| Acc | 59% | 47% | 83% | 75% | 75% | 73% | 75% | 69% | 62% | 75% | 40% | 63% | 63% | 64% | 64% | 58% | 66% |
| Perc | 52 | 36 | 23 | 76 | 27 | 7 | 13 | 32 | 15 | 1 | 54 | 26 | 18 | 34 | 48 | 60 | 8 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$242 | \$409 | 6 | 5 | 6 | 5 | 5 | 5 | C+ | 4 |

BHRP758 DUNOON PRIME MINISTER P758^{SV}NORL508 RENNYLEA L508^{PV}

BHRM1008 DUNOON JAPARA M1008 #

NDIN154 KENNY'S CREEK BARA N154^{PV}NORK522 RENNYLEA KODAK K522^{SV}NDIJ249 KENNY'S CREEK BARA J249^{SV}

PURCHASER

PRICE

Left: Lot 3



Top 20%



Used in the Kenny's Creek herd



SALE LOTS



LOT 4. KENNY'S CREEK PRIME MINISTER S69 ^{PV} (HBR)

ANIMAL ID NDI21S69

DOB 25/7/2021 GENETIC STATUS AMF,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | | CARCASE | | | | |
|------|-------|------|-------|--------|-----|-----|-----|-----------|------|-----|------|-----|---------|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 6.1 | 7 | -12.9 | 2.1 | 44 | 93 | 125 | 97 | 27 | 2.3 | -4.5 | 69 | 8.1 | 2.8 | 3.3 | -0.6 | 4.6 |
| Acc | 59% | 48% | 83% | 75% | 75% | 73% | 75% | 69% | 62% | 75% | 40% | 63% | 63% | 64% | 64% | 58% | 66% |
| Perc | 22 | 12 | 1 | 14 | 75 | 42 | 32 | 55 | 3 | 40 | 54 | 40 | 27 | 6 | 5 | 95 | 5 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$221 | \$380 | 6 | 5 | 6 | 6 | 5 | 5 | C+ | 4 |

BHRP758 DUNOON PRIME MINISTER P758 ^{SV}

NORL508 RENNYLEA L508 ^{PV}

BHRM1008 DUNOON JAPARA M1008 #

NDIL182 KENNY'S CREEK KIWI L182 ^{PV}

USA16956101 H P C A PROCEED ^{PV}

NDIH219 KENNY'S CREEK KIWI H219 ^{SV}

PURCHASER

PRICE

Left: Lot 4, Right: Lot 6



LOT 5. KENNY'S CREEK MOE S10 ^{PV} (HBR)

ANIMAL ID NDI21S10

DOB 12/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | | CARCASE | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|------|------|-----|---------|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 10 | 6.6 | -8.6 | 1.6 | 39 | 73 | 103 | 46 | 26 | -0.4 | -5.3 | 54 | 8.5 | 1.6 | 2.2 | 0.3 | 2.4 |
| Acc | 63% | 51% | 83% | 75% | 74% | 72% | 75% | 70% | 66% | 75% | 41% | 65% | 65% | 66% | 66% | 59% | 68% |
| Perc | 3 | 15 | 6 | 9 | 91 | 91 | 78 | 99 | 3 | 99 | 32 | 82 | 24 | 16 | 12 | 60 | 41 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$228 | \$344 | 6 | 6 | 6 | 6 | 5 | 6 | C+ | 5 |

GTNM6 CHILTERN PARK MOE M6 ^{PV}

VTMF734 TE MANIA FOE F734 ^{SV}

VSNF15 STRATHEWEN TIMEOUT JADE F15 ^{PV}

NDIQ90 KENNY'S CREEK BARA Q90 ^{PV}

USA17354145 G A R MOMENTUM ^{PV}

NDIG226 KENNY'S CREEK G226 ^{SV}

PURCHASER

PRICE



LOT 6. KENNY'S CREEK KEYSTONE S26 ^{PV} (HBR)

ANIMAL ID NDI21S26

DOB 15/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | | CARCASE | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|-----|---------|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 10.3 | 9.5 | -6.8 | -0.4 | 52 | 99 | 133 | 106 | 25 | 2.7 | -5.8 | 86 | 0.4 | 2.3 | 1.2 | -0.6 | 2.2 |
| Acc | 65% | 56% | 83% | 74% | 74% | 72% | 74% | 71% | 67% | 75% | 46% | 65% | 64% | 66% | 66% | 61% | 68% |
| Perc | 2 | 2 | 19 | 1 | 41 | 25 | 19 | 40 | 6 | 26 | 21 | 7 | 97 | 9 | 23 | 95 | 46 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$212 | \$387 | 6 | 5 | 6 | 5 | 5 | 5 | C+ | 5 |

TFAK132 LANDFALL KEYSTONE K132 ^{PV}

NORE11 RENNYLEA EDMUND E11 ^{PV}

TFAH807 LANDFALL ARCHER H807 ^{SV}

NDIQ434 KENNY'S CREEK BARA Q434 ^{PV}

USA18229488 BALDRIDGE COMPASS C041 ^{SV}

NDIG721 KENNY'S CREEK BARA G721 ^{SV}

PURCHASER

PRICE



Used in the Kenny's Creek herd

☐ Top 20%

SEE SALE VIDEOS AT WWW.KENNYS CREEK.COM.AU**LOT 7. KENNY'S CREEK BEAST MODE S139^{PV} (HBR)**

ANIMAL ID NDI21S139

DOB 10/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -1.1 | 2.9 | -0.9 | 5.2 | 66 | 111 | 134 | 128 | 13 | 3.3 | -4.7 | 76 | 1.6 | -0.9 | -1.6 | 0.3 | 0.9 |
| Acc | 65% | 57% | 83% | 74% | 74% | 72% | 75% | 71% | 67% | 75% | 47% | 66% | 65% | 66% | 66% | 61% | 68% |
| Perc | 78 | 51 | 94 | 74 | 3 | 7 | 17 | 12 | 81 | 12 | 48 | 21 | 94 | 69 | 73 | 60 | 82 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$202 | \$366 | 6 | 5 | 6 | 5 | 6 | 6 | C+ | 5 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIP507 KENNY'S CREEK BARA P507^{PV}QQFH147 ASCOT HALLMARK H147^{PV}NDIH729 KENNY'S CREEK BARA H729^{SV}

PURCHASER

PRICE

Left: Lot 7, Right: K309 is grand dam to Lots 8 and 28

**LOT 8. KENNY'S CREEK MOE S43^{PV} (HBR)**

ANIMAL ID NDI21S43

DOB 18/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -1.8 | 0.6 | -2.2 | 4.7 | 55 | 94 | 120 | 83 | 18 | 1.7 | -5.1 | 67 | 3.4 | -0.9 | -1 | 0.3 | 0.7 |
| Acc | 63% | 52% | 83% | 74% | 73% | 72% | 74% | 70% | 65% | 75% | 42% | 65% | 64% | 65% | 65% | 59% | 68% |
| Perc | 81 | 73 | 86 | 64 | 27 | 40 | 43 | 77 | 38 | 64 | 37 | 46 | 82 | 69 | 62 | 60 | 86 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$195 | \$317 | 6 | 6 | 6 | 6 | 5 | 5 | B- | 5 |

GTNM6CHILTERN PARK MOE M6^{PV}VTMF734 TE MANIA FOE F734^{SV}VSNF15 STRATHEWEN TIMEOUT JADE F15^{PV}NDIQ503 KENNY'S CREEK NINAH Q503^{PV}USA17366506 H P C A INTENSITY[#]NDIK309 KENNY'S CREEK NINAH K309^{SV}

PURCHASER

PRICE

**LOT 9. KENNY'S CREEK MOE S103^{PV} (HBR)**

ANIMAL ID NDI21S103

DOB 4/8/2021 GENETIC STATUS AMFU,CAFU,DDC,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|-----|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 7.2 | 5.3 | -6 | 2.1 | 49 | 95 | 124 | 78 | 25 | 2.5 | -5.3 | 68 | 7.4 | 1.4 | 2.6 | -0.3 | 4.1 |
| Acc | 64% | 53% | 83% | 75% | 74% | 72% | 75% | 71% | 66% | 75% | 43% | 65% | 65% | 66% | 66% | 60% | 69% |
| Perc | 14 | 26 | 30 | 14 | 56 | 36 | 34 | 83 | 6 | 33 | 32 | 46 | 35 | 19 | 9 | 88 | 9 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$250 | \$400 | 6 | 5 | 6 | 5 | 5 | 5 | B- | 5 |

GTNM6CHILTERN PARK MOE M6^{PV}VTMF734 TE MANIA FOE F734^{SV}VSNF15 STRATHEWEN TIMEOUT JADE F15^{PV}NDIP415 KENNY'S CREEK BARA P415^{PV}USA17354145 G A R MOMENTUM^{PV}NDIH235 KENNY'S CREEK H235^{SV}

PURCHASER

PRICE

Top 20%










Used in the Kenny's Creek herd










SALE LOTS










| LOT 10. KENNY'S CREEK MOE S64 ^{PV} (HBR) | | | | | | | | | | | | | | | ANIMAL ID NDI21S64 | | | |
|--|-------|-------|------|---|--------|---|-----|---|-----------|---|------|--|---------|---|--------------------|--------|-----|--------|
| DOB 22/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | | |
|  TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBV | IMF | |
| EBV | 0 | -1.2 | -2.2 | 3.8 | 61 | 106 | 136 | 101 | 21 | 2.3 | -5.6 | 84 | 8.8 | -0.3 | -0.7 | 0.8 | 1.6 | |
| Acc | 64% | 53% | 83% | 74% | 74% | 72% | 73% | 71% | 66% | 70% | 43% | 66% | 65% | 66% | 66% | 60% | 69% | |
| Perc | 72 | 85 | 86 | 44 | 10 | 12 | 15 | 48 | 20 | 40 | 25 | 9 | 21 | 55 | 57 | 28 | 64 | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED GL,BWT,200WT(x2),400WT,600WT(x2),SC,Genomics | | | | | | | | | | | | | | | | | | |
| INDEX VALUES | | | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | |
| \$A | | \$A-L | | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 |
| \$246 | | \$392 | | 6 | | 6 | | 6 | | 7 | | 6 | | 5 | | C+ | | 5 |
| GTNM6CHILTERN PARK MOE M6 ^{PV} | | | | | | | | | | VTMF734 TE MANIA FOE F734 ^{SV} | | | | | | | | |
| | | | | | | | | | | VSNF15 STRATHEWEN TIMEOUT JADE F15 ^{PV} | | | | | | | | |
| NDIQ430 KENNY'S CREEK SATURN Q430 ^{PV} | | | | | | | | | | USA17366506 H P C A INTENSITY # | | | | | | | | |
| | | | | | | | | | | NDIJ265 KENNY'S CREEK SATURN J265 ^{PV} | | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | | |



| LOT 11. KENNY'S CREEK KICKING S130 ^{PV} (HBR) | | | | | | | | | | | | | | | ANIMAL ID NDI21S130 | | | |
|--|-------|-------|------|---|-----|---|-----|---|-----------|---|------|--|-----|---|---------------------|--------|-----|--------|
| DOB 7/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | | |
| <div>TACE</div> <div></div> | BIRTH | | | GROWTH | | | | | FERTILITY | | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBV | IMF | |
| EBV | -0.6 | 5.3 | -8.3 | 5.5 | 58 | 109 | 134 | 130 | 17 | 2.2 | -5.5 | 69 | 4.2 | -1.3 | -2.3 | 0.6 | 0.6 | |
| Acc | 60% | 50% | 83% | 74% | 73% | 71% | 73% | 69% | 65% | 73% | 42% | 64% | 64% | 64% | 65% | 59% | 68% | |
| Perc | 75 | 26 | 8 | 79 | 16 | 8 | 18 | 11 | 51 | 44 | 27 | 41 | 74 | 77 | 82 | 40 | 88 | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | | |
| INDEX VALUES | | | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | |
| \$A | | \$A-L | | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 |
| \$195 | | \$363 | | 6 | | 5 | | 6 | | 5 | | 5 | | 5 | | B- | | 4 |
| CSWK428 MURDEDUKE KICKING K428 ^{PV} | | | | | | | | | | VTME343 TE MANIA EMPEROR E343 ^{PV} | | | | | | | | |
| | | | | | | | | | | CSWE175 MURDEDUKE E175 ^{PV} | | | | | | | | |
| NDIQ610 KENNY'S CREEK BARA Q610 ^{PV} | | | | | | | | | | USA18229488 BALDRIDGE COMPASS C041 ^{SV} | | | | | | | | |
| | | | | | | | | | | NDIM206 KENNY'S CREEK BARA M206 ^{SV} | | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | | |



| LOT 12. KENNY'S CREEK MOE S50 ^{PV} (HBR) | | | | | | | | | | | | | | | ANIMAL ID NDI21S50 | | | |
|---|-------|-------|------|-----|---|-----|---|-----|---|--|---|-----|--|------|---|------|--------|--------|
| DOB 19/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | | |
|  | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBV | IMF | |
| EBV | 1.3 | 1.1 | -2.4 | 4.5 | 55 | 109 | 146 | 136 | 13 | 3 | -5.7 | 78 | 4.2 | -0.2 | -0.3 | -0.2 | 2.6 | |
| Acc | 62% | 50% | 83% | 74% | 73% | 72% | 74% | 69% | 64% | 75% | 39% | 64% | 64% | 65% | 65% | 58% | 68% | |
| Perc | 63 | 68 | 84 | 60 | 27 | 8 | 6 | 7 | 82 | 18 | 23 | 18 | 74 | 53 | 50 | 85 | 35 | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | |
| INDEX VALUES | | | | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | |
| \$A | | \$A-L | | | F  | | R  | | F  | | R  | |  | |  | | Muscle | SN 1-5 |
| \$204 | | \$383 | | | 6 | | 6 | | 5 | | 5 | | 5 | | 5 | | C+ | 4 |
| GTNM6CHILTERN PARK MOE M6 ^{PV} | | | | | | | | | | VTMF734 TE MANIA FOE F734 ^{SV} | | | | | | | | |
| | | | | | | | | | | VSNF15 STRATHEWEN TIMEOUT JADE F15 ^{PV} | | | | | | | | |
| NDIQ113 KENNY'S CREEK BARA Q113 ^{PV} | | | | | | | | | | NDIN44 KENNY'S CREEK BROKEN BOW N44 ^{PV} | | | | | | | | |
| | | | | | | | | | | NDIN454 KENNY'S CREEK BARA N454 ^{PV} | | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | | |



Used in the Kenny's Creek herd

Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 13. KENNY'S CREEK MOMENTOUS S35^{PV} (HBR)**

ANIMAL ID NDI21S35

DOB 16/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.3 | 0.6 | -4.2 | 3.9 | 45 | 86 | 99 | 74 | 20 | 3.3 | -4.5 | 45 | 8 | 1.6 | 0.7 | 0.2 | 3.8 |
| Acc | 65% | 56% | 72% | 74% | 74% | 72% | 74% | 71% | 67% | 75% | 46% | 66% | 65% | 66% | 67% | 61% | 69% |
| Perc | 74 | 73 | 59 | 46 | 73 | 63 | 84 | 87 | 28 | 12 | 54 | 95 | 28 | 16 | 31 | 66 | 13 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$203 | \$323 | 6 | 5 | 5 | 5 | 5 | 6 | C+ | 5 |

VLYM518 LAWSONS MOMENTOUS M518^{PV}USA17354145 G A R MOMENTUM^{PV}VLYH229 LAWSONS AFRICA H229^{SV}NDIQ625 KENNY'S CREEK FEDERATION Q625^{PV}USA17960722 BALDRIDGE BEAST MODE B074^{PV}NDIL199 KENNY'S CREEK FEDERATION L199^{SV}

PURCHASER

PRICE

**LOT 14. KENNY'S CREEK NAPA S110^{PV} (HBR)**

ANIMAL ID NDI21S110

DOB 5/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|-----|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -1.8 | 3.1 | -2.2 | 6.7 | 55 | 91 | 118 | 129 | 8 | 3.9 | -4 | 57 | 9.1 | -1.5 | -1.3 | 0.7 | 2.8 |
| Acc | 58% | 48% | 83% | 75% | 73% | 72% | 75% | 69% | 63% | 75% | 39% | 62% | 62% | 63% | 63% | 57% | 65% |
| Perc | 81 | 49 | 86 | 93 | 28 | 49 | 48 | 12 | 98 | 5 | 68 | 76 | 19 | 81 | 68 | 34 | 31 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$184 | \$338 | 6 | 6 | 6 | 6 | 5 | 6 | C+ | 5 |

NJWN498 MILWILLAH NAPA N498^{PV}NZE14647008839 MATAURI REALITY 839[#]NJWH224 MILWILLAH BARUNAH H224[#]NDIN141 KENNY'S CREEK SATURN N141^{PV}USA17131890 RITO 12E7 OF 5F56 RITO 5M2[#]NDIK245 KENNY'S CREEK SATURN K245^{SV}

PURCHASER

PRICE

LOT 15. KENNY'S CREEK NAPA S166^{PV} (HBR)

ANIMAL ID NDI21S166

DOB 27/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 1.3 | 2.5 | -4.4 | 5.5 | 51 | 87 | 128 | 145 | 8 | 2.5 | -1.8 | 62 | 4.3 | -0.2 | -0.7 | -0.1 | 3.7 |
| Acc | 60% | 50% | 83% | 75% | 74% | 72% | 75% | 69% | 63% | 75% | 40% | 62% | 62% | 64% | 64% | 58% | 66% |
| Perc | 63 | 55 | 56 | 79 | 47 | 59 | 27 | 4 | 98 | 33 | 96 | 62 | 73 | 53 | 57 | 81 | 14 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|---|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$145 | \$305 | 6 | 5 | 6 | 6 | 6 | 6 | C | 5 |

NJWN498 MILWILLAH NAPA N498^{PV}NZE14647008839 MATAURI REALITY 839[#]NJWH224 MILWILLAH BARUNAH H224[#]NDIN199 KENNY'S CREEK ROSEBUD N199^{SV}USA17262374 JMB TRACTION 292^{PV}NDIJ333 KENNY'S CREEK ROSEBUD J333[#]

PURCHASER

PRICE

Top 20%










Used in the Kenny's Creek herd



SALE LOTS










LOT 16. KENNY'S CREEK MOE S59 ^{PV} (HBR) ANIMAL ID NDI21S59

| | | | | | | | | | | | | | | | | | |
|---|-------|---|------|---|-----|---|-----|---|-----------|--|------|---|------------------------------------|--------|------|--------|-----|
| DOB 20/7/2021 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | |
|  | BIRTH | | | GROWTH | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.8 | 3.5 | -0.2 | 4 | 51 | 97 | 124 | 92 | 17 | 2.1 | -6.5 | 74 | 8 | -0.1 | 0.6 | 0.1 | 4.1 |
| Acc | 64% | 51% | 83% | 74% | 74% | 72% | 72% | 70% | 66% | 70% | 41% | 65% | 65% | 65% | 66% | 59% | 68% |
| Perc | 50 | 45 | 97 | 48 | 43 | 30 | 34 | 63 | 49 | 48 | 10 | 27 | 28 | 50 | 33 | 71 | 9 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | TRAITS OBSERVED GL,BWT,SC,Genomics | | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | |
| \$251 | \$405 | 6 | | 6 | | 6 | | 5 | | 6 | | 6 | | C+ | | 5 | |
| GTNM6CHILTERN PARK MOE M6 ^{PV} | | | | | | | | | | VTMF734 TE MANIA FOE F734 ^{SV} | | | | | | | |
| | | | | | | | | | | VSNF15 STRATHEWEN TIMEOUT JADE F15 ^{PV} | | | | | | | |
| NDIQ479 KENNY'S CREEK BARA Q479 ^{PV} | | | | | | | | | | NORK522 RENNYLEA KODAK K522 ^{SV} | | | | | | | |
| | | | | | | | | | | NDIL246 KENNY'S CREEK BARA L246 ^{SV} | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | |











LOT 17. KENNY'S CREEK DRIVE S196 ^{PV} (HBR) ANIMAL ID NDI21S196

| DOB 20/9/2021 | | GENETIC STATUS AMF,CAF,DDC,NHF | | | | | | | | | | | | | | | |
|---|-------|---|---|---|---|--|---|--------|-----------|---|------|-----|---------|-----|------|-----|-----|
| TACE  | BIRTH | | | GROWTH | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -3.8 | 2.6 | -5.7 | 5.1 | 52 | 91 | 114 | 94 | 8 | 2.4 | -4.7 | 54 | 15.1 | 2.3 | 3.1 | 1.2 | 2.1 |
| Acc | 54% | 44% | 68% | 70% | 70% | 67% | 71% | 66% | 59% | 70% | 34% | 58% | 57% | 59% | 59% | 51% | 62% |
| Perc | 89 | 54 | 34 | 72 | 41 | 49 | 58 | 60 | 98 | 36 | 48 | 82 | 1 | 9 | 6 | 11 | 49 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | R  | F  | R  |  |  | Muscle | SN 1-5 | | | | | | | | |
| \$234 | \$367 | 7 | 6 | 6 | 6 | 6 | 6 | C | 5 | | | | | | | | |
| NDIQ78 KENNY'S CREEK DRIVE Q78 ^{PV} | | | | | | | | | | USA18301470 G A R DRIVE ^{PV} | | | | | | | |
| | | | | | | | | | | NDIL161 KENNY'S CREEK NINAH L161 ^{SV} | | | | | | | |
| NDIP254 KENNY'S CREEK BARA P254 ^{PV} | | | | | | | | | | NDIM59 KENNY'S CREEK M59 ^{PV} | | | | | | | |
| | | | | | | | | | | NDIH752 KENNY'S CREEK BARA H752 ^{SV} | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | |



LOT 18. KENNY'S CREEK NAPA S137 ^{PV} (HBR) ANIMAL ID NDI21S137

| | | | | | | | | | | | | | | | | | | |
|---|-------|---|------|---|-----|---|-----|---|------|--|-----|---|-----|---------|------|--------|------|-----|
| DOB 10/8/2021 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | |
|  | BIRTH | | | GROWTH | | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| | EBV | -3.3 | -0.7 | 0 | 7.1 | 48 | 83 | 108 | 99 | 10 | 3.6 | -3.6 | 55 | 3.6 | 0.7 | 1 | -0.6 | 3.9 |
| | Acc | 60% | 50% | 83% | 74% | 73% | 71% | 74% | 69% | 62% | 74% | 40% | 61% | 61% | 62% | 63% | 56% | 65% |
| | Perc | 87 | 82 | 97 | 96 | 57 | 71 | 69 | 51 | 95 | 8 | 78 | 80 | 81 | 32 | 26 | 95 | 11 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | | |
| \$159 | \$282 | 6 | | 6 | | 6 | | 6 | | 6 | | 6 | | C+ | | 4 | | |
| NJWN498 MILWILLAH NAPA N498 ^{PV} | | | | | | | | | | NZE14647008839 MATAURI REALITY 839 [#] | | | | | | | | |
| | | | | | | | | | | NJWH224 MILWILLAH BARUNAH H224 [#] | | | | | | | | |
| NDIP556 KENNY'S CREEK P556 ^{SV} | | | | | | | | | | NDIL458 KENNY'S CREEK REGENT L458 ^{SV} | | | | | | | | |
| | | | | | | | | | | ATCK341 DOUGHBOY K341 [#] | | | | | | | | |
| PURCHASER | | | | | | | | | | | | | | | | | | |
| PRICE | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | |  | | | | | | | | |

Lot 18



Used in the Kenny's Creek herd

Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 19. KENNY'S CREEK PRIME MINISTER S76^{PV} (HBR)**

ANIMAL ID NDI21S76

DOB 29/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|-----|--------|-----|-----|-----|-----------|------|-----|------|---------|------|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.4 | 5.2 | -8 | 3.7 | 44 | 75 | 105 | 79 | 20 | 2.8 | -5.4 | 51 | 10.2 | 1.9 | 1.8 | 0.5 | 2.3 |
| Acc | 58% | 47% | 74% | 72% | 74% | 72% | 72% | 69% | 61% | 70% | 39% | 61% | 61% | 62% | 63% | 56% | 65% |
| Perc | 54 | 27 | 9 | 41 | 78 | 87 | 75 | 82 | 29 | 23 | 29 | 88 | 12 | 13 | 16 | 47 | 43 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$206 | \$336 | 6 | 5 | 6 | 5 | 5 | 5 | C+ | 5 |

BHRP758 DUNOON PRIME MINISTER P758^{SV}NORL508 RENNYLEA L508^{PV}BHRM1008 DUNOON JAPARA M1008[#]NDIP1 KENNY'S CREEK USUAL P1^{PV}USA17614813 MUSGRAVE BIG SKY^{PV}NWPM378 WATTLETOP USUAL M378^{SV}

PURCHASER

PRICE

**LOT 20. KENNY'S CREEK BEAST MODE S134^{PV} (HBR)**

ANIMAL ID NDI21S134

DOB 8/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 3.8 | 6.1 | -5.2 | 3.6 | 62 | 97 | 122 | 88 | 20 | 3.1 | -5.9 | 59 | 4.6 | -1 | -1.9 | 0.1 | 3 |
| Acc | 64% | 55% | 83% | 75% | 74% | 72% | 75% | 71% | 67% | 75% | 46% | 66% | 65% | 66% | 66% | 61% | 68% |
| Perc | 41 | 18 | 42 | 39 | 8 | 30 | 39 | 69 | 24 | 16 | 19 | 70 | 70 | 71 | 77 | 71 | 26 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$248 | \$396 | 6 | 5 | 6 | 6 | 5 | 6 | C+ | 5 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIQ6 KENNY'S CREEK MOONGARA Q6^{PV}TFAM45 LANDFALL MOJO M45^{SV}NDIN255 KENNY'S CREEK MOONGARA N255^{SV}

PURCHASER

PRICE

**LOT 21. KENNY'S CREEK COMPASS S151^{PV} (HBR)**

ANIMAL ID NDI21S151

DOB 15/8/2021 GENETIC STATUS AMF,CAF,DDF,NHF

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|-----|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -1.4 | -1.7 | -1 | 5.1 | 50 | 86 | 110 | 75 | 22 | 3.2 | -4.4 | 56 | 6.4 | 1.6 | 0.8 | -0.8 | 4.5 |
| Acc | 52% | 41% | 67% | 71% | 70% | 68% | 72% | 65% | 58% | 72% | 32% | 57% | 56% | 58% | 58% | 50% | 61% |
| Perc | 79 | 87 | 94 | 72 | 50 | 64 | 65 | 86 | 13 | 14 | 57 | 80 | 47 | 16 | 29 | 97 | 6 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$197 | \$310 | 6 | 6 | 6 | 7 | 5 | 5 | C+ | 4 |

NDIQ93 KENNY'S CREEK COMPASS Q93^{PV}USA18229488 BALDRIDGE COMPASS C041^{SV}NDIL301 KENNY'S CREEK FINKS MISS L301^{PV}NDIQ187 KENNY'S CREEK PATRIOT Q187^{PV}NDIM51 KENNY'S CREEK JUSTICE M51^{SV}NDIM262 KENNY'S CREEK PATRIOT M262^{PV}

PURCHASER

PRICE

Top 20%



Used in the Kenny's Creek herd



SALE LOTS



LOT 22. KENNY'S CREEK BEAST MODE S48 ^{PV} (HBR)

ANIMAL ID NDI21S48

DOB 19/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|--|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|------|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.1 | 0.5 | -2.6 | 4.7 | 55 | 98 | 123 | 107 | 13 | 1.9 | -5.2 | 61 | -0.5 | -0.2 | -1.1 | -0.5 | 3.1 |
| Acc | 63% | 54% | 83% | 74% | 73% | 72% | 74% | 70% | 66% | 74% | 44% | 64% | 63% | 65% | 65% | 60% | 67% |
| Perc | 56 | 74 | 82 | 64 | 27 | 37 | 37 | 37 | 79 | 56 | 34 | 66 | 99 | 53 | 64 | 93 | 24 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$196 | \$345 | 5 | 5 | 6 | 5 | 5 | 5 | C+ | 5 |

USA17960722 BALDRIDGE BEAST MODE B074 ^{PV}

USA16295688 G A R PROPHET ^{SV}

USA17149410 BALDRIDGE ISABEL Y69 #

NDIQ179 KENNY'S CREEK BARA Q179 ^{PV}

NDIM45 KENNY'S CREEK JUSTICE M45 ^{SV}

NDIL124 KENNY'S CREEK BARA L124 ^{SV}

PURCHASER

PRICE

Lot 22



LOT 23. KENNY'S CREEK PAYWEIGHT S169 ^{PV} (HBR)

ANIMAL ID NDI21S169

DOB 28/8/2021 GENETIC STATUS AMF,CAF,DDF,NHF

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|---|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2 | 4.8 | -7.4 | 4.8 | 63 | 116 | 146 | 124 | 21 | 1.7 | -5.1 | 81 | 0.9 | -0.3 | -2.1 | -0.2 | 1.9 |
| Acc | 56% | 47% | 69% | 71% | 72% | 69% | 73% | 68% | 62% | 73% | 39% | 61% | 59% | 61% | 61% | 54% | 64% |
| Perc | 57 | 31 | 14 | 66 | 6 | 3 | 6 | 15 | 20 | 64 | 37 | 13 | 96 | 55 | 80 | 85 | 55 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$219 | \$390 | 6 | 5 | 6 | 6 | 5 | 5 | B- | 5 |

NDIQ474 KENNY'S CREEK PAYWEIGHT Q474 ^{PV}

USA17038724 BASIN PAYWEIGHT 1682 ^{PV}

NDIL101 KENNY'S CREEK BARA L101 ^{SV}

NDIQ441 KENNY'S CREEK SATURN Q441 ^{PV}

USA17366506 H P C A INTENSITY #

NDIJ265 KENNY'S CREEK SATURN J265 ^{PV}

PURCHASER

PRICE



LOT 24. KENNY'S CREEK PAYWEIGHT S185 ^{PV} (HBR)

ANIMAL ID NDI21S185

DOB 13/9/2021 GENETIC STATUS AMFU,CAFU,DDF,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|---|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.7 | 5.6 | -4.8 | 3.2 | 55 | 103 | 133 | 110 | 21 | 1.6 | -5.1 | 66 | 3.8 | -0.9 | -2 | -0.3 | 4.1 |
| Acc | 55% | 45% | 70% | 73% | 73% | 71% | 73% | 69% | 63% | 73% | 38% | 62% | 60% | 62% | 62% | 55% | 65% |
| Perc | 51 | 23 | 49 | 31 | 26 | 17 | 19 | 32 | 17 | 68 | 37 | 50 | 79 | 69 | 79 | 88 | 9 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|---|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$222 | \$383 | 7 | 6 | 6 | 6 | 6 | 6 | C | 4 |

NDIQ474 KENNY'S CREEK PAYWEIGHT Q474 ^{PV}

USA17038724 BASIN PAYWEIGHT 1682 ^{PV}

NDIL101 KENNY'S CREEK BARA L101 ^{SV}

NDIQ555 KENNY'S CREEK BARA Q555 ^{PV}

USA17038724 BASIN PAYWEIGHT 1682 ^{PV}

NDIL258 KENNY'S CREEK BARA L258 ^{SV}

PURCHASER

PRICE



Used in the Kenny's Creek herd

Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 25. KENNY'S CREEK BEAST MODE S145^{PV} (HBR)**

ANIMAL ID NDI21S145

DOB 13/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 8 | 7.6 | -1.6 | 1.8 | 46 | 79 | 97 | 73 | 18 | 1.4 | -4.4 | 55 | 3.6 | -0.1 | -0.1 | 0.2 | 2.6 |
| Acc | 62% | 53% | 83% | 74% | 73% | 72% | 74% | 70% | 66% | 74% | 44% | 64% | 63% | 64% | 65% | 59% | 66% |
| Perc | 10 | 8 | 90 | 11 | 70 | 80 | 86 | 87 | 43 | 75 | 57 | 80 | 81 | 50 | 46 | 66 | 35 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$201 | \$336 | 6 | 5 | 6 | 6 | 5 | 6 | C+ | 4 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIQ15 KENNY'S CREEK BARA Q15^{PV}NDIM45 KENNY'S CREEK JUSTICE M45^{SV}NDIN24 KENNY'S CREEK BARA N24^{PV}

PURCHASER

PRICE

Left: Lot 25, Right: Lot 26

**LOT 26. KENNY'S CREEK BEAST MODE S93^{PV} (HBR)**

ANIMAL ID NDI21S93

DOB 2/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.9 | 2.4 | -5.6 | 6.5 | 63 | 103 | 121 | 91 | 13 | 3.6 | -4.6 | 65 | 3.6 | -3.6 | -4.6 | 0.8 | 1.5 |
| Acc | 63% | 54% | 83% | 74% | 73% | 72% | 74% | 70% | 66% | 74% | 44% | 64% | 63% | 65% | 65% | 60% | 67% |
| Perc | 77 | 56 | 36 | 92 | 6 | 17 | 41 | 65 | 83 | 8 | 51 | 54 | 81 | 98 | 98 | 28 | 67 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$216 | \$349 | 5 | 5 | 5 | 6 | 5 | 6 | C+ | 5 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIP216 KENNY'S CREEK SATURN P216^{SV}NDIM50 KENNY'S CREEK M50^{PV}NDIG283 KENNY'S CREEK SATURN G283[#]

PURCHASER

PRICE

**LOT 27. KENNY'S CREEK BEAST MODE S52^{PV} (HBR)**

ANIMAL ID NDI21S52

DOB 19/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 3.7 | 4.1 | -0.8 | 2.8 | 50 | 87 | 106 | 101 | 14 | 1.3 | -5.2 | 53 | 7.3 | -0.6 | -1.8 | 0.5 | 3.8 |
| Acc | 64% | 55% | 83% | 74% | 74% | 72% | 74% | 71% | 67% | 75% | 46% | 66% | 65% | 66% | 66% | 61% | 68% |
| Perc | 42 | 38 | 95 | 23 | 52 | 60 | 72 | 48 | 72 | 78 | 34 | 86 | 36 | 62 | 76 | 47 | 13 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$214 | \$363 | 6 | 6 | 6 | 6 | 4 | 6 | C+ | 4 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIQ581 KENNY'S CREEK BARA Q581^{PV}DGJG10 ALLOURA GET CRACKING G10^{SV}NDIL246 KENNY'S CREEK BARA L246^{SV}

PURCHASER

PRICE

☐ Top 20%



Used in the Kenny's Creek herd



SALE LOTS



LOT 28. KENNY'S CREEK BEAST MODE S32 ^{PV} (HBR) ANIMAL ID NDI21S32


| DOB 16/7/2021 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | |
|--|-------|------------------------------------|------|-----|--------|-----|-----|-----|------|--|------|-----|-----|---------|------|------|-----|--|
|  TACE | BIRTH | | | | GROWTH | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| EBV | 1.2 | 3.7 | -5.7 | 5.5 | 69 | 117 | 134 | 122 | 14 | 4.1 | -5.9 | 73 | 2.2 | -1 | -2.2 | -0.2 | 2.7 | |
| Acc | 63% | 54% | 83% | 74% | 74% | 72% | 74% | 71% | 67% | 75% | 46% | 65% | 65% | 66% | 66% | 62% | 68% | |
| Perc | 63 | 42 | 34 | 79 | 2 | 3 | 18 | 18 | 76 | 4 | 19 | 29 | 91 | 71 | 81 | 85 | 33 | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|---|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$238 | \$411 | 6 | 5 | 6 | 5 | 6 | 6 | C | 5 |

| | |
|---|--|
| USA17960722 BALDRIDGE BEAST MODE B074 ^{PV} | USA16295688 G A R PROPHET ^{SV} |
| | USA17149410 BALDRIDGE ISABEL Y69 # |
| NDIQ414 KENNY'S CREEK NINAH Q414 ^{PV} | NORK522 RENNYLEA KODAK K522 ^{SV} |
| | NDIK309 KENNY'S CREEK NINAH K309 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|

LOT 29. KENNY'S CREEK PRIME MINISTER T437 ^{PV} (HBR) ANIMAL ID NDI22T437


| | | | | | | | | | | | | | | | | | | |
|--|-------|------------------------------------|------|--------|-----|-----|-----|-----|------|---|------|-----|-----|---------|------|-----|-----|--|
| DOB 9/3/2022 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | |
|  | BIRTH | | | GROWTH | | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| EBV | 3 | 5.1 | -9.7 | 4.9 | 50 | 98 | 136 | 114 | 20 | 5.1 | -3.9 | 63 | 9.2 | -1.6 | -1.7 | 1 | 2.3 | |
| Acc | 56% | 44% | 72% | 74% | 74% | 72% | 72% | 68% | 60% | 74% | 37% | 61% | 61% | 62% | 62% | 56% | 65% | |
| Perc | 49 | 28 | 3 | 69 | 49 | 28 | 15 | 27 | 29 | 1 | 71 | 59 | 18 | 82 | 74 | 18 | 43 | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|---|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$204 | \$364 | 6 | 6 | 6 | 6 | 6 | 5 | C | 4 |

| | |
|--|---|
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | NORL508 RENNYLEA L508 ^{PV} |
| | BHRM1008 DUNOON JAPARA M1008 # |
| NDIN210 KENNY'S CREEK BARA N210 ^{SV} | NDIL172 KENNY'S CREEK CHISUM L172 ^{SV} |
| | NDIJ353 KENNY'S CREEK BARA J353 # |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|

LOT 30. KENNY'S CREEK BEAST MODE T419 ^{PV} (HBR) ANIMAL ID NDI22T419

| | | | | | | | | | | | | | | | | | | |
|--|-------|------------------------------------|------|-----|--------|-----|-----|-----|------|-----------|---|-----|-----|---------|------|-----|-----|--|
| DOB 28/2/2022 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | |
|  TACE | BIRTH | | | | GROWTH | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| EBV | 6.2 | 3.5 | -4.9 | 2.7 | 59 | 102 | 124 | 107 | 18 | 3.6 | -4 | 67 | 5.2 | -1.2 | -1.2 | 0.7 | 0.5 | |
| Acc | 64% | 55% | 73% | 74% | 74% | 72% | 73% | 71% | 67% | 74% | 45% | 66% | 64% | 66% | 66% | 60% | 68% | |
| Perc | 21 | 45 | 47 | 22 | 14 | 18 | 34 | 38 | 45 | 8 | 68 | 48 | 62 | 75 | 66 | 34 | 89 | |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$207 | \$366 | 6 | 5 | 6 | 6 | 5 | 6 | C+ | 5 |

| | |
|---|--|
| USA17960722 BALDRIDGE BEAST MODE B074 ^{PV} | USA16295688 G A R PROPHET ^{SV} |
| | USA17149410 BALDRIDGE ISABEL Y69 # |
| NDIN82 KENNY'S CREEK DREAM N82 ^{PV} | NDIJ223 KENNY'S CREEK EQUATOR J223 ^{SV} |
| | NDIK338 KENNY'S CREEK DREAM K338 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 31. KENNY'S CREEK PRIME MINISTER T427 ^{PV} (HBR)** ANIMAL ID NDI22T427

DOB 4/3/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|-------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 7 | 4.6 | -12.1 | 5.3 | 69 | 122 | 170 | 152 | 16 | 4.5 | -4.2 | 95 | 6 | -0.7 | -1.2 | 0.6 | 1.2 |
| Acc | 57% | 45% | 72% | 74% | 74% | 71% | 72% | 68% | 60% | 74% | 37% | 61% | 61% | 63% | 63% | 56% | 65% |
| Perc | 16 | 33 | 1 | 76 | 2 | 2 | 1 | 2 | 62 | 2 | 63 | 2 | 52 | 64 | 66 | 40 | 75 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$240 | \$444 | 6 | 6 | 6 | 6 | 5 | 5 | C+ | 4 |

BHRP758 DUNOON PRIME MINISTER P758 ^{SV}NORL508 RENNYLEA L508 ^{PV}

BHRM1008 DUNOON JAPARA M1008 #

NDIN210 KENNY'S CREEK BARA N210 ^{SV}NDIL172 KENNY'S CREEK CHISUM L172 ^{SV}

NDIJ353 KENNY'S CREEK BARA J353 #

PURCHASER

PRICE

Left: Lot 31, Middle: Lot 32,
Right: Lot 33**LOT 32. KENNY'S CREEK NEW GROUND T413 ^{PV} (HBR)** ANIMAL ID NDI22T413

DOB 25/2/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.1 | 1.3 | -6.2 | 4.3 | 51 | 94 | 131 | 115 | 17 | 4.4 | -5.7 | 68 | 7.5 | 1 | 0.5 | 0.7 | 1 |
| Acc | 64% | 54% | 73% | 74% | 75% | 73% | 74% | 72% | 66% | 71% | 42% | 65% | 64% | 65% | 65% | 59% | 67% |
| Perc | 72 | 67 | 27 | 55 | 47 | 40 | 22 | 25 | 54 | 2 | 23 | 44 | 34 | 26 | 35 | 34 | 79 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$195 | \$350 | 5 | 5 | 6 | 5 | 6 | 6 | C+ | 5 |

TFAN90 LANDFALL NEW GROUND N90 ^{PV}USA17262835 V A R DISCOVERY 2240 ^{PV}TFAL88 LANDFALL ELSA L88 ^{PV}NDIN84 KENNY'S CREEK LAURA N84 ^{SV}NORK522 RENNYLEA KODAK K522 ^{SV}NDIK274 KENNY'S CREEK LAURA K274 ^{SV}

PURCHASER

PRICE

LOT 33. KENNY'S CREEK PRIME MINISTER T403 ^{PV} (HBR) ANIMAL ID NDI22T403

DOB 22/2/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 1.9 | 5.6 | -8.2 | 6.2 | 59 | 109 | 151 | 149 | 19 | 4 | -4.7 | 75 | 6.4 | -1.9 | -2.7 | 0.7 | 2.5 |
| Acc | 58% | 47% | 73% | 74% | 75% | 73% | 73% | 70% | 62% | 71% | 40% | 64% | 63% | 64% | 64% | 58% | 67% |
| Perc | 58 | 23 | 8 | 89 | 14 | 8 | 4 | 3 | 36 | 4 | 48 | 25 | 47 | 87 | 87 | 34 | 38 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$208 | \$395 | 5 | 5 | 6 | 6 | 5 | 5 | C+ | 4 |

BHRP758 DUNOON PRIME MINISTER P758 ^{SV}NORL508 RENNYLEA L508 ^{PV}

BHRM1008 DUNOON JAPARA M1008 #

NDIN84 KENNY'S CREEK LAURA N84 ^{SV}NORK522 RENNYLEA KODAK K522 ^{SV}NDIK274 KENNY'S CREEK LAURA K274 ^{SV}

PURCHASER

PRICE

Top 20%









Used in the Kenny's Creek herd



SALE LOTS

LOT 34. KENNY'S CREEK PRIME MINISTER T436 ^{PV} (HBR) ANIMAL ID NDI22T436

| DOB 8/3/2022 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | |
|---|-------|------------------------------------|------|--------|-----|-----|-----|-----|-----------|---|-----|-----|-----|---------|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | | FERTILITY | | | | | CARCASE | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 8.5 | 5.5 | -8.9 | 2.2 | 50 | 98 | 131 | 97 | 23 | 3.5 | -7 | 77 | 9.3 | 2.5 | 3.4 | 0.1 | 3.7 |
| Acc | 58% | 48% | 73% | 75% | 75% | 73% | 73% | 70% | 62% | 75% | 41% | 64% | 64% | 65% | 65% | 59% | 67% |
| Perc | 8 | 24 | 5 | 15 | 49 | 27 | 22 | 56 | 11 | 9 | 5 | 20 | 17 | 7 | 5 | 71 | 14 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics | | | | | | | |







| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|---|---|---|---|--|---|--------|--------|
| \$A | \$A-L | F  | R  | F  | R  |  |  | Muscle | SN 1-5 |
| \$266 | \$440 | 6 | 6 | 7 | 6 | 5 | 6 | C+ | 5 |

| | |
|--|---|
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | NORL508 RENNYLEA L508 ^{PV} |
| | BHRM1008 DUNOON JAPARA M1008 # |
| NDIN4 KENNY'S CREEK BARA N4 ^{SV} | WWEL3 ESSLEMONT LOTTO L3 ^{PV} |
| | NDIL124 KENNY'S CREEK BARA L124 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|

LOT 35. KENNY'S CREEK PRIME MINISTER T404 ^{PV} (HBR) ANIMAL ID NDI22T404

| DOB 22/2/2022 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | |
|---|-------|------------------------------------|------|--------|-----|-----|-----|-----|-----------|---|------|-----|-----|---------|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | | FERTILITY | | | | | CARCASE | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 6.3 | 5.1 | -7.7 | 4.2 | 58 | 110 | 154 | 130 | 20 | 3.5 | -4.1 | 87 | 4 | -0.6 | -0.5 | 0 | 3.1 |
| Acc | 56% | 44% | 72% | 73% | 73% | 71% | 72% | 68% | 60% | 74% | 37% | 61% | 61% | 62% | 62% | 56% | 65% |
| Perc | 20 | 28 | 11 | 53 | 15 | 8 | 3 | 11 | 29 | 9 | 66 | 6 | 77 | 62 | 53 | 77 | 24 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics | | | | | | | |







| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|---|---|---|---|--|---|--------|--------|
| \$A | \$A-L | F  | R  | F  | R  |  |  | Muscle | SN 1-5 |
| \$225 | \$407 | 6 | 5 | 6 | 5 | 5 | 6 | C+ | 4 |

| | |
|--|---|
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | NORL508 RENNYLEA L508 ^{PV} |
| | BHRM1008 DUNOON JAPARA M1008 # |
| NDIN210 KENNY'S CREEK BARA N210 ^{SV} | NDIL172 KENNY'S CREEK CHISUM L172 ^{SV} |
| | NDIJ353 KENNY'S CREEK BARA J353 # |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|

LOT 36. KENNY'S CREEK PRIME MINISTER T435 ^{PV} (HBR) ANIMAL ID NDI22T435

| DOB 8/3/2022 | | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | |
|---|-------|------------------------------------|-------|--------|-----|-----|-----|-----|-----------|---|------|-----|-----|---------|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | | FERTILITY | | | | | CARCASE | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 0.4 | 3.1 | -10.5 | 6.3 | 56 | 101 | 141 | 120 | 22 | 2.9 | -4.3 | 79 | 9.9 | -0.6 | -1.9 | 0.9 | 2 |
| Acc | 58% | 46% | 73% | 74% | 74% | 72% | 72% | 68% | 60% | 73% | 37% | 62% | 61% | 62% | 62% | 56% | 65% |
| Perc | 69 | 49 | 2 | 90 | 22 | 22 | 10 | 20 | 16 | 21 | 60 | 16 | 14 | 62 | 77 | 23 | 52 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|---|---|---|---|--|---|--------|--------|
| \$A | \$A-L | F  | R  | F  | R  |  |  | Muscle | SN 1-5 |
| \$213 | \$369 | 6 | 5 | 7 | 6 | 6 | 5 | C+ | 3 |

| | |
|--|--|
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | NORL508 RENNYLEA L508 ^{PV} |
| | BHRM1008 DUNOON JAPARA M1008 # |
| NDIN82 KENNY'S CREEK DREAM N82 ^{PV} | NDIJ223 KENNY'S CREEK EQUATOR J223 ^{SV} |
| | NDIK338 KENNY'S CREEK DREAM K338 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



Used in the Kenny's Creek herd

☐ Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 37. KENNY'S CREEK BEAST MODE T406^{PV} (HBR)**

ANIMAL ID NDI22T406

DOB 23/2/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 6.7 | 5.4 | -6.3 | 3.4 | 62 | 108 | 135 | 123 | 14 | 1.5 | -3.3 | 73 | 2.8 | -1.6 | -1.7 | 0.4 | 1.4 |
| Acc | 61% | 52% | 66% | 73% | 70% | 71% | 68% | 66% | 62% | 73% | 43% | 62% | 60% | 62% | 61% | 58% | 62% |
| Perc | 17 | 25 | 25 | 35 | 7 | 10 | 16 | 17 | 76 | 72 | 83 | 29 | 87 | 82 | 74 | 53 | 69 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,SC

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$212 | \$384 | 6 | 6 | 6 | 6 | 5 | 5 | C+ | 5 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}

USA17149410 BALDRIDGE ISABEL Y69 #

NDIN210 KENNY'S CREEK BARA N210^{SV}NDIL172 KENNY'S CREEK CHISUM L172^{SV}

NDIJ353 KENNY'S CREEK BARA J353 #

PURCHASER

PRICE

LOT 38. KENNY'S CREEK PRIME MINISTER T414^{PV} (HBR)

ANIMAL ID NDI22T414

DOB 25/2/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.8 | 2.2 | -7.8 | 5.8 | 51 | 90 | 122 | 103 | 14 | 1.3 | -5.6 | 67 | 12 | -0.4 | 1.1 | 1.1 | 2 |
| Acc | 59% | 49% | 72% | 74% | 74% | 72% | 73% | 69% | 61% | 75% | 42% | 63% | 63% | 64% | 64% | 58% | 66% |
| Perc | 76 | 58 | 11 | 84 | 43 | 50 | 39 | 44 | 73 | 78 | 25 | 46 | 5 | 57 | 25 | 14 | 52 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$228 | \$372 | 6 | 5 | 6 | 6 | 5 | 5 | C+ | 5 |

BHRP758 DUNOON PRIME MINISTER P758^{SV}NORL508 RENNYLEA L508^{PV}

BHRM1008 DUNOON JAPARA M1008 #

NDIN36 KENNY'S CREEK NINAH N36^{PV}USA16198796 EF COMPLEMENT 8088^{PV}NDIL411 KENNY'S CREEK SATURN L411^{SV}

PURCHASER

PRICE

Lot 38

**LOT 39. KENNY'S CREEK PRIME MINISTER T441^{PV} (HBR)**

ANIMAL ID NDI22T441

DOB 10/3/2022 GENETIC STATUS AMFU,CAC,DDFU,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 3.3 | 5.1 | -7.3 | 3.7 | 54 | 94 | 124 | 103 | 19 | 3.5 | -4.8 | 74 | 5.1 | -0.3 | -1.5 | -0.1 | 4.9 |
| Acc | 58% | 48% | 72% | 74% | 74% | 72% | 72% | 69% | 61% | 74% | 41% | 62% | 62% | 63% | 64% | 58% | 66% |
| Perc | 46 | 28 | 15 | 41 | 33 | 38 | 35 | 45 | 33 | 9 | 46 | 26 | 64 | 55 | 71 | 81 | 4 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$224 | \$378 | 6 | 5 | 6 | 6 | 6 | 6 | C | 5 |

BHRP758 DUNOON PRIME MINISTER P758^{SV}NORL508 RENNYLEA L508^{PV}

BHRM1008 DUNOON JAPARA M1008 #

NDIN127 KENNY'S CREEK BLACK BOOM N127^{SV}

USA15354674 SYDGEN TRUST 6228 #

NDIG680 KENNY'S CREEK BLACK BOOM G680 #

PURCHASER

PRICE








Top 20%

















Used in the Kenny's Creek herd



SALE LOTS

| LOT 40. KENNY'S CREEK PRIME MINISTER T425 ^{PV} (HBR) | | | | | | | | | | | | | | ANIMAL ID NDI22T425 | | | |
|--|-------|---|------|---|-----|---|-----|---|------|--|------|---|-----|---|------|--------|-----|
| DOB 2/3/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
| <div>TACE</div> <div></div> | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 4.3 | -3.1 | -7.1 | 4.2 | 51 | 92 | 132 | 99 | 21 | 4.4 | -7.2 | 68 | 10 | 1.3 | 0.8 | 0.7 | 3.2 |
| Acc | 59% | 49% | 73% | 75% | 75% | 73% | 73% | 70% | 63% | 75% | 41% | 64% | 64% | 65% | 65% | 59% | 67% |
| Perc | 37 | 92 | 16 | 53 | 46 | 44 | 20 | 52 | 22 | 2 | 4 | 45 | 13 | 21 | 29 | 34 | 22 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | |
| \$249 | \$403 | 6 | | 6 | | 6 | | 6 | | 5 | | 6 | | C+ | | 5 | |
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | | | | | | | | | | NORL508 RENNYLEA L508 ^{PV} | | | | | | | |
| | | | | | | | | | | BHRM1008 DUNOON JAPARA M1008 # | | | | | | | |
| NDIN4 KENNY'S CREEK BARA N4 ^{SV} | | | | | | | | | | WWEL3 ESLEMONT LOTTO L3 ^{PV} | | | | | | | |
| | | | | | | | | | | NDIL124 KENNY'S CREEK BARA L124 ^{SV} | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | |

| LOT 41. KENNY'S CREEK PRIME MINISTER T434 ^{PV} (HBR) | | | | | | | | | | | | | | ANIMAL ID NDI22T434 | | | |
|--|-------|---|------|---|-----|---|-----|---|------|--|------|---|-----|---------------------------------------|------|--------|-----|
| DOB 7/3/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
|  TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 6.7 | 8 | -8.1 | 4.2 | 52 | 98 | 139 | 125 | 25 | 3.9 | -3.6 | 73 | 5.7 | -0.1 | -1.3 | 0.1 | 4.2 |
| Acc | 59% | 47% | 73% | 74% | 75% | 73% | 73% | 69% | 62% | 70% | 40% | 63% | 63% | 64% | 64% | 58% | 67% |
| Perc | 17 | 6 | 9 | 53 | 39 | 28 | 12 | 14 | 6 | 5 | 78 | 30 | 56 | 50 | 68 | 71 | 8 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | TRAITS OBSERVED BWT,400WT,SC,Genomics | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | |
| \$208 | \$384 | 6 | | 6 | | 6 | | 7 | | 5 | | 6 | | C+ | | 4 | |
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | | | | | | | | | | NORL508 RENNYLEA L508 ^{PV} | | | | | | | |
| | | | | | | | | | | BHRM1008 DUNOON JAPARA M1008 # | | | | | | | |
| NDIN84 KENNY'S CREEK LAURA N84 ^{SV} | | | | | | | | | | NORK522 RENNYLEA KODAK K522 ^{SV} | | | | | | | |
| | | | | | | | | | | NDIK274 KENNY'S CREEK LAURA K274 ^{SV} | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | |

| LOT 42. KENNY'S CREEK KICKING T3 ^{PV} (HBR) | | | | | | | | | | | | | | ANIMAL ID NDI22T3 | | | |
|--|-------|---|------|---|-----|---|-----|---|---|--|------|---|-----|-------------------|------|--------|-----|
| DOB 23/2/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
| <div>TACE</div> <div></div> | BIRTH | | | GROWTH | | | | | | FERTILITY | | | | CARCASE | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 5.1 | 4.5 | -6.8 | 2.4 | 48 | 86 | 108 | 87 | 18 | 3.5 | -7.2 | 59 | 2.2 | 1.9 | 0.6 | -0.1 | 3 |
| Acc | 62% | 53% | 73% | 74% | 75% | 74% | 74% | 72% | 67% | 71% | 45% | 67% | 66% | 66% | 68% | 61% | 70% |
| Perc | 30 | 34 | 19 | 17 | 61 | 61 | 70 | 72 | 44 | 9 | 4 | 71 | 91 | 13 | 33 | 81 | 26 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics | | | | | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | |
| \$218 | \$369 | 6 | | 5 | | 6 | | 7 | | 5 | | 6 | | C+ | | 4 | |
| CSWK428 MURDEDUKE KICKING K428 ^{PV} | | | | | | | | | VTME343 TE MANIA EMPEROR E343 ^{PV} | | | | | | | | |
| | | | | | | | | | CSWE175 MURDEDUKE E175 ^{PV} | | | | | | | | |
| NDIN4 KENNY'S CREEK BARA N4 ^{SV} | | | | | | | | | WWEL3 ESLEMONT LOTTO L3 ^{PV} | | | | | | | | |
| | | | | | | | | | NDIL124 KENNY'S CREEK BARA L124 ^{SV} | | | | | | | | |
| PURCHASER | | | | | | | | | PRICE | | | | | | | | |



Used in the Kenny's Creek herd

Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 43. KENNY'S CREEK BEAST MODE T402^{PV} (HBR)**

ANIMAL ID NDI22T402

DOB 21/2/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 5.1 | 3.9 | -5.8 | 2.9 | 59 | 103 | 125 | 104 | 16 | 4.1 | -5.6 | 64 | 3.9 | -0.2 | -0.4 | -0.4 | 1.9 |
| Acc | 64% | 55% | 73% | 74% | 74% | 72% | 73% | 71% | 67% | 73% | 45% | 66% | 64% | 65% | 65% | 60% | 67% |
| Perc | 30 | 40 | 33 | 25 | 14 | 16 | 33 | 43 | 57 | 4 | 25 | 56 | 78 | 53 | 51 | 91 | 55 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$216 | \$380 | 6 | 6 | 6 | 7 | 5 | 5 | C+ | 4 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIN82 KENNY'S CREEK DREAM N82^{PV}NDIJ223 KENNY'S CREEK EQUATOR J223^{SV}NDIK338 KENNY'S CREEK DREAM K338^{SV}

PURCHASER

PRICE

LOT 44. KENNY'S CREEK BEAST MODE T411^{PV} (HBR)

ANIMAL ID NDI22T411

DOB 24/2/2022 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 4.9 | 4.4 | -6.1 | 3.2 | 60 | 103 | 129 | 114 | 17 | 2.3 | -4.5 | 71 | 3.2 | -0.9 | -1.3 | 0.1 | 1.7 |
| Acc | 63% | 54% | 66% | 74% | 70% | 71% | 69% | 65% | 62% | 73% | 43% | 63% | 59% | 61% | 61% | 57% | 62% |
| Perc | 32 | 35 | 28 | 31 | 11 | 16 | 26 | 27 | 52 | 40 | 54 | 36 | 84 | 69 | 68 | 71 | 61 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,SC

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$211 | \$375 | 6 | 5 | 6 | 5 | 5 | 5 | C+ | 4 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIN82 KENNY'S CREEK DREAM N82^{PV}NDIJ223 KENNY'S CREEK EQUATOR J223^{SV}NDIK338 KENNY'S CREEK DREAM K338^{SV}

PURCHASER

PRICE

**LOT 45. KENNY'S CREEK CAPITALIST S194^{PV} (HBR)**

ANIMAL ID NDI21S194

DOB 20/9/2021 GENETIC STATUS AMF,CAF,DDF,NHF

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 6.5 | 1 | -6.1 | 1.5 | 46 | 87 | 110 | 91 | 17 | 1.2 | -4.5 | 76 | 9.6 | 2 | 2 | 0.5 | 2.9 |
| Acc | 56% | 47% | 69% | 71% | 71% | 68% | 72% | 67% | 61% | 70% | 40% | 60% | 60% | 61% | 61% | 54% | 65% |
| Perc | 19 | 69 | 28 | 8 | 70 | 60 | 65 | 65 | 54 | 81 | 54 | 22 | 16 | 12 | 14 | 47 | 28 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$220 | \$365 | 6 | 5 | 6 | 7 | 6 | 5 | C+ | 5 |

NDIQ634 KENNY'S CREEK CAPITALIST Q634^{PV}USA16752262 CONNEALY CAPITALIST 028[#]NDIK269 KENNY'S CREEK PRINCESS K269^{SV}NDIP418 KENNY'S CREEK LOWAN P418^{PV}BNAD145 TUWHARETOA REGENT D145^{PV}NDIG218 KENNY'S CREEK G218^{SV}

PURCHASER

PRICE

☐ Top 20%


Used in the Kenny's Creek herd



SALE LOTS



LOT 46. KENNY'S CREEK PAYWEIGHT S148 ^{PV} (HBR) ANIMAL ID NDI21S148

| DOB 14/8/2021 GENETIC STATUS AMF,CAF,DDF,NHF | | | | | | | | | | | | | | | | | |
|---|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|------|-----|
| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.8 | 0.6 | -6.2 | 3.4 | 58 | 108 | 135 | 118 | 22 | 0.9 | -7.6 | 84 | 1.6 | 1.6 | 3 | -0.5 | 2.4 |
| Acc | 55% | 46% | 67% | 71% | 70% | 68% | 72% | 66% | 60% | 72% | 37% | 59% | 58% | 60% | 60% | 53% | 63% |
| Perc | 76 | 73 | 27 | 35 | 17 | 9 | 16 | 22 | 15 | 88 | 2 | 9 | 94 | 16 | 7 | 93 | 41 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$236 | \$402 | 6 | 5 | 5 | 5 | 5 | 5 | C+ | 5 |

| | |
|--|---|
| NDIQ474 KENNY'S CREEK PAYWEIGHT Q474 ^{PV} | USA17038724 BASIN PAYWEIGHT 1682 ^{PV} |
| | NDIL101 KENNY'S CREEK BARA L101 ^{SV} |
| NDIQ65 KENNY'S CREEK JEDDA Q65 ^{PV} | WWEL3 ESSLEMONT LOTTO L3 ^{PV} |
| | NDIM644 KENNY'S CREEK FINKS MISS M644 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



LOT 47. KENNY'S CREEK CAPITALIST S204 ^{PV} (HBR) ANIMAL ID NDI21S204

| DOB 1/10/2021 GENETIC STATUS AMF,CAF,DDF,NHF | | | | | | | | | | | | | | | | | |
|---|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -3.1 | -0.2 | -2.5 | 6.7 | 66 | 117 | 144 | 150 | 9 | 1.9 | -4.8 | 88 | 6.6 | -1.2 | -2.4 | 1.1 | 0.3 |
| Acc | 54% | 45% | 69% | 70% | 70% | 67% | 70% | 65% | 59% | 70% | 35% | 58% | 57% | 59% | 59% | 52% | 62% |
| Perc | 87 | 79 | 83 | 93 | 3 | 3 | 8 | 3 | 96 | 56 | 46 | 5 | 44 | 75 | 83 | 14 | 92 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$205 | \$379 | 5 | 5 | 6 | 6 | 5 | 5 | B- | 5 |

| | |
|---|---|
| NDIQ634 KENNY'S CREEK CAPITALIST Q634 ^{PV} | USA16752262 CONNEALY CAPITALIST 028 [#] |
| | NDIK269 KENNY'S CREEK PRINCESS K269 ^{SV} |
| NDIP166 KENNY'S CREEK KIWI P166 ^{PV} | USA17262374 JMB TRACTION 292 ^{PV} |
| | NDIH760 KENNY'S CREEK KIWI H760 ^{PV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



LOT 48. KENNY'S CREEK PRIME MINISTER S89 ^{PV} (HBR) ANIMAL ID NDI21S89

| DOB 1/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
|--|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|------|-----|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 9.2 | 7.9 | -7.7 | 2.2 | 43 | 93 | 122 | 106 | 20 | 2.9 | -5.7 | 66 | 11.5 | 1.3 | 0.5 | 1.1 | 3 |
| Acc | 57% | 45% | 83% | 75% | 74% | 72% | 74% | 68% | 60% | 75% | 38% | 61% | 62% | 63% | 63% | 57% | 65% |
| Perc | 5 | 7 | 11 | 15 | 80 | 42 | 39 | 40 | 24 | 21 | 23 | 49 | 7 | 21 | 35 | 14 | 26 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$235 | \$410 | 6 | 6 | 6 | 6 | 5 | 6 | C+ | 4 |

| | |
|--|--|
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | NORL508 RENNYLEA L508 ^{PV} |
| | BHRM1008 DUNOON JAPARA M1008 [#] |
| NDIP34 KENNY'S CREEK FINKS PRIDE P34 ^{PV} | NORK522 RENNYLEA KODAK K522 ^{SV} |
| | NDIM654 KENNY'S CREEK FINKS PRIDE M654 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



Used in the Kenny's Creek herd

☐ Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 49. KENNY'S CREEK BEAST MODE S28^{PV} (HBR)**

ANIMAL ID NDI21S28

DOB 15/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 3.8 | 3.2 | -5.9 | 4.5 | 58 | 91 | 117 | 108 | 13 | 0.6 | -4.2 | 58 | 1.7 | -1.5 | -2.7 | 0.2 | 2.5 |
| Acc | 63% | 54% | 83% | 74% | 74% | 72% | 74% | 71% | 67% | 75% | 46% | 65% | 64% | 65% | 66% | 61% | 68% |
| Perc | 41 | 48 | 31 | 60 | 16 | 47 | 49 | 36 | 83 | 93 | 63 | 74 | 93 | 81 | 87 | 66 | 38 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$197 | \$344 | 6 | 5 | 5 | 5 | 5 | 5 | B- | 5 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIQ153 KENNY'S CREEK BARA Q153^{PV}NDIN9 KENNY'S CREEK TRUST N9^{PV}NDIH350 KENNY'S CREEK H350^{PV}

PURCHASER

PRICE

Left: Lot 49, Right: H350 grand dam to Lot 49

**LOT 50. KENNY'S CREEK MOMENTOUS S67^{PV} (HBR)**

ANIMAL ID NDI21S67

DOB 23/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -7.8 | -3.3 | -1.4 | 6.4 | 67 | 114 | 139 | 130 | 21 | 2.5 | -2.9 | 70 | 6.3 | -2.2 | -3.2 | 0.6 | 3.5 |
| Acc | 65% | 56% | 83% | 75% | 74% | 72% | 75% | 71% | 67% | 75% | 46% | 66% | 66% | 67% | 67% | 62% | 69% |
| Perc | 96 | 93 | 92 | 91 | 3 | 4 | 12 | 10 | 22 | 33 | 89 | 38 | 48 | 90 | 91 | 40 | 17 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$203 | \$341 | 6 | 5 | 6 | 6 | 6 | 5 | C+ | 5 |

VLYM518 LAWSONS MOMENTOUS M518^{PV}USA17354145 G A R MOMENTUM^{PV}VLYH229 LAWSONS AFRICA H229^{SV}NDIQ35 KENNY'S CREEK BARA Q35^{PV}USA17960722 BALDRIDGE BEAST MODE B074^{PV}NDIN154 KENNY'S CREEK BARA N154^{PV}

PURCHASER

PRICE

**LOT 51. KENNY'S CREEK DRIVE S193^{PV} (HBR)**

ANIMAL ID NDI21S193

DOB 20/9/2021 GENETIC STATUS AMF,CAF,DDF,NHF

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -6.4 | 4.1 | -5.4 | 5.4 | 51 | 99 | 119 | 99 | 16 | 0.2 | -2.7 | 68 | 15.6 | -2.2 | -3.6 | 2.1 | 1.7 |
| Acc | 55% | 46% | 70% | 72% | 71% | 69% | 72% | 67% | 61% | 71% | 36% | 60% | 59% | 60% | 61% | 53% | 64% |
| Perc | 95 | 38 | 39 | 78 | 43 | 26 | 45 | 52 | 55 | 97 | 91 | 46 | 1 | 90 | 94 | 1 | 61 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$205 | \$326 | 6 | 6 | 6 | 5 | 5 | 6 | C+ | 5 |

NDIQ78 KENNY'S CREEK DRIVE Q78^{PV}USA18301470 G A R DRIVE^{PV}NDIL161 KENNY'S CREEK NINAH L161^{SV}NDIP132 KENNY'S CREEK JUANA P132^{PV}NDIL123 KENNY'S CREEK INTENSITY L123^{SV}VCCL200 COOLANA JUANA ERICA L200^{PV}

PURCHASER

PRICE

Top 20%




Used in the Kenny's Creek herd



SALE LOTS



LOT 52. KENNY'S CREEK PRIME MINISTER S149 ^{PV} (HBR) ANIMAL ID NDI21S149

| DOB 14/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
|--|-------|------|-------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|-----|------|-----|-----|
|  TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 7.6 | 6.2 | -14.1 | 4.5 | 58 | 106 | 149 | 119 | 25 | 5 | -6.1 | 81 | 4.6 | 1.5 | 0.9 | 0 | 1.4 |
| Acc | 56% | 44% | 83% | 75% | 74% | 72% | 74% | 68% | 60% | 75% | 37% | 61% | 61% | 62% | 62% | 55% | 65% |
| Perc | 12 | 18 | 1 | 60 | 15 | 12 | 5 | 21 | 6 | 1 | 15 | 13 | 70 | 18 | 28 | 77 | 69 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | |


| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$230 | \$414 | 6 | 6 | 6 | 6 | 5 | 6 | C+ | 4 |

| | |
|---|---|
| BHRP758 DUNOON PRIME MINISTER P758 ^{SV} | NORL508 RENNYLEA L508 ^{PV} |
| | BHRM1008 DUNOON JAPARA M1008 [#] |
| NDIP246 KENNY'S CREEK MOONGARA P246 ^{PV} | NDIM204 KENNY'S CREEK BLACKPEARL M204 ^{SV} |
| | NDIM187 KENNY'S CREEK MOONGARA M187 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



LOT 53. KENNY'S CREEK MOMENTOUS S9 ^{PV} (HBR) ANIMAL ID NDI21S9

| DOB 12/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | | |
|---|-------|------|-----|------|--------|-----|-----|-----|------|-----------|-----|------|-----|---------|------|------|-----|-----|
|  | BIRTH | | | | GROWTH | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF | |
| | EBV | 4.1 | 2.3 | -8.9 | 1.7 | 46 | 84 | 106 | 78 | 25 | 2 | -2.6 | 63 | 13.3 | -1.4 | -0.7 | 1.4 | 4.3 |
| | Acc | 65% | 56% | 83% | 74% | 74% | 72% | 74% | 71% | 67% | 75% | 46% | 66% | 66% | 67% | 67% | 61% | 69% |
| | Perc | 39 | 57 | 5 | 10 | 69 | 68 | 73 | 83 | 6 | 52 | 92 | 60 | 3 | 79 | 57 | 7 | 8 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | | | | | | | | | |
| TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | | | | | | | | | | | | |


| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$229 | \$354 | 6 | 5 | 6 | 5 | 5 | 5 | B- | 4 |

| | |
|--|---|
| VLYM518 LAWSONS MOMENTOUS M518 ^{PV} | USA17354145 G A R MOMENTUM ^{PV} |
| | VLYH229 LAWSONS AFRICA H229 ^{SV} |
| NDIQ58 KENNY'S CREEK BARA Q58 ^{PV} | WWEL3 ESSLEMONT LOTTO L3 ^{PV} |
| | NDIM215 KENNY'S CREEK BARA M215 ^{PV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



LOT 54. KENNY'S CREEK DRIVE S203 ^{PV} (HBR) ANIMAL ID NDI21S203

| DOB 26/9/2021 GENETIC STATUS AMF,CAF,DDF,NHF | | | | | | | | | | | | | | | | | |
|---|-------|------|------|-----|--------|-----|-----|-----|-----------|---|-----|-----|---------|------|------|-----|-----|
|  | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -3.9 | -0.4 | -0.3 | 5.6 | 53 | 109 | 136 | 124 | 16 | 0.4 | -3 | 75 | 8.3 | -2.3 | -1.9 | 0.9 | 1.7 |
| Acc | 54% | 44% | 70% | 71% | 71% | 68% | 72% | 67% | 61% | 71% | 35% | 59% | 58% | 60% | 60% | 53% | 64% |
| Perc | 89 | 80 | 97 | 81 | 36 | 8 | 14 | 15 | 55 | 95 | 88 | 23 | 26 | 91 | 77 | 23 | 61 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$186 | \$330 | 6 | 6 | 6 | 6 | 5 | 6 | C+ | 5 |

| | |
|---|--|
| NDIQ78 KENNY'S CREEK DRIVE Q78 ^{PV} | USA18301470 G A R DRIVE ^{PV} |
| | NDIL161 KENNY'S CREEK NINAH L161 ^{SV} |
| NDIP175 KENNY'S CREEK SATURN P175 ^{PV} | NDIL123 KENNY'S CREEK INTENSITY L123 ^{SV} |
| | NDIL304 KENNY'S CREEK SATURN L304 ^{SV} |

| |
|-----------|
| PURCHASER |
| PRICE |

Left: Lot 54, Right: L304 is grand dam to Lot 54



Used in the Kenny's Creek herd

Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 55. KENNY'S CREEK KODAK S162^{PV} (HBR)**

ANIMAL ID NDI21S162

DOB 26/8/2021 GENETIC STATUS AMF,CAF,DDF,NHF

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.3 | 3.7 | -5.1 | 4.4 | 55 | 100 | 125 | 106 | 16 | 2.8 | -7.9 | 75 | 5.1 | 4.8 | 4.3 | -0.9 | 3.2 |
| Acc | 53% | 43% | 69% | 71% | 71% | 69% | 72% | 67% | 61% | 73% | 36% | 60% | 59% | 61% | 61% | 54% | 64% |
| Perc | 55 | 42 | 44 | 57 | 28 | 22 | 32 | 40 | 57 | 23 | 2 | 24 | 64 | 1 | 3 | 98 | 22 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$244 | \$413 | 6 | 5 | 6 | 6 | 6 | 5 | C+ | 4 |

NDIQ594 KENNY'S CREEK KODAK Q594^{PV}NORK522 RENNYLEA KODAK K522^{SV}NDIL227 KENNY'S CREEK BARA L227^{SV}NDIQ31 KENNY'S CREEK BARA Q31^{PV}TFAM45 LANDFALL MOJO M45^{SV}NDIN203 KENNY'S CREEK BARA N203^{SV}

PURCHASER

PRICE

L227 is grand dam to Lot 55

**LOT 56. KENNY'S CREEK MOE S51^{PV} (HBR)**

ANIMAL ID NDI21S51

DOB 19/7/2021 GENETIC STATUS AMFU,CAFU,DDF,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|------|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.9 | 3.3 | -1.9 | 4.7 | 53 | 94 | 128 | 91 | 23 | 1.8 | -6.2 | 69 | 10.3 | 0.5 | 0.7 | 0.6 | 1.7 |
| Acc | 62% | 50% | 83% | 75% | 74% | 72% | 75% | 70% | 65% | 75% | 40% | 65% | 64% | 65% | 66% | 58% | 68% |
| Perc | 49 | 47 | 88 | 64 | 37 | 40 | 28 | 64 | 11 | 60 | 14 | 41 | 12 | 36 | 31 | 40 | 61 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$241 | \$388 | 6 | 5 | 6 | 6 | 5 | 5 | C+ | 4 |

GTNM6CHILTERN PARK MOE M6^{PV}VTMF734 TE MANIA FOE F734^{SV}VSNF15 STRATHEWEN TIMEOUT JADE F15^{PV}NDIQ186 KENNY'S CREEK BARA Q186^{PV}NDIM59 KENNY'S CREEK M59^{PV}NDIL258 KENNY'S CREEK BARA L258^{SV}

PURCHASER

PRICE

**LOT 57. KENNY'S CREEK MOMENTOUS S30^{PV} (HBR)**

ANIMAL ID NDI21S30

DOB 15/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -1 | -11 | -6.4 | 4.3 | 51 | 98 | 118 | 101 | 20 | 2.9 | -6.3 | 61 | 10 | -0.2 | -0.1 | 0.2 | 5.6 |
| Acc | 65% | 56% | 83% | 75% | 74% | 72% | 75% | 71% | 67% | 75% | 46% | 66% | 66% | 67% | 67% | 62% | 70% |
| Perc | 77 | 99 | 24 | 55 | 46 | 28 | 47 | 48 | 29 | 21 | 12 | 65 | 13 | 53 | 46 | 66 | 2 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$234 | \$372 | 7 | 5 | 6 | 6 | 6 | 6 | C+ | 4 |

VLYM518 LAWSONS MOMENTOUS M518^{PV}USA17354145 G A R MOMENTUM^{PV}VLYH229 LAWSONS AFRICA H229^{SV}NDIQ68 KENNY'S CREEK ROSEBUB Q68^{PV}WWEL3 ESSLEMONT LOTTO L3^{PV}NDIM626 KENNY'S CREEK ROSEBUD M626^{SV}

PURCHASER

PRICE

Top 20%



Used in the Kenny's Creek herd



SALE LOTS



LOT 58. KENNY'S CREEK MOMENTOUS S47 ^{PV} (HBR)

ANIMAL ID NDI21S47

DOB 19/7/2021 GENETIC STATUS AMFU,CAC,DDC,NHFU

| TACE | BIRTH | | | | GROWTH | | | | | FERTILITY | | | | CARCASE | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|------|-----------|------|-----|------|---------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.9 | -2.1 | -3.5 | 5.3 | 67 | 114 | 148 | 141 | 18 | 3.4 | -3.7 | 73 | 10.5 | -3.7 | -4.9 | 0.7 | 3.9 |
| Acc | 64% | 55% | 83% | 75% | 74% | 72% | 75% | 71% | 67% | 75% | 45% | 66% | 65% | 66% | 67% | 61% | 69% |
| Perc | 77 | 89 | 70 | 76 | 3 | 4 | 5 | 5 | 41 | 11 | 76 | 29 | 11 | 99 | 98 | 34 | 11 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$227 | \$394 | 6 | 5 | 6 | 5 | 5 | 6 | C+ | 5 |

VLYM518 LAWSONS MOMENTOUS M518 ^{PV}

USA17354145 G A R MOMENTUM ^{PV}

VLYH229 LAWSONS AFRICA H229 ^{SV}

NDIQ1 KENNY'S CREEK FINKS MISS Q1 ^{PV}

USA17960722 BALDRIDGE BEAST MODE B074 ^{PV}

NDIN252 KENNY'S CREEK FINKS MISS N252 ^{PV}

PURCHASER


PRICE



LOT 59. KENNY'S CREEK MOE S68 ^{PV} (HBR)

ANIMAL ID NDI21S68

DOB 24/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

|  TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|--|-------|------|-----|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 2.8 | 4.2 | 0.3 | 4.6 | 51 | 100 | 139 | 111 | 24 | 3.7 | -7.5 | 77 | 4.8 | 0.6 | 1.8 | -0.5 | 4.2 |
| Acc | 63% | 51% | 83% | 75% | 74% | 72% | 74% | 70% | 66% | 74% | 41% | 66% | 65% | 66% | 66% | 60% | 69% |
| Perc | 50 | 37 | 98 | 62 | 45 | 23 | 11 | 32 | 8 | 7 | 3 | 20 | 67 | 34 | 16 | 93 | 8 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$241 | \$412 | 6 | 6 | 6 | 6 | 6 | 6 | C+ | 5 |

GTNM6CHILTERN PARK MOE M6 ^{PV}

VTMF734 TE MANIA FOE F734 ^{SV}

VSNF15 STRATHEWEN TIMEOUT JADE F15 ^{PV}

NDIQ487 KENNY'S CREEK BARA Q487 ^{PV}

NORK522 RENNYLEA KODAK K522 ^{SV}

NDIL246 KENNY'S CREEK BARA L246 ^{SV}

PURCHASER

PRICE



LOT 60. KENNY'S CREEK DRIVE S189 ^{PV} (HBR)

ANIMAL ID NDI21S189

DOB 17/9/2021 GENETIC STATUS AMF,CAF,DDF,NHF

| TACE | BIRTH | | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | |
|------|-------|------|------|-----|-----|--------|-----|-----|------|-----------|------|-----|-----|---------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -2.4 | 4.9 | -4.6 | 5.8 | 56 | 107 | 137 | 144 | 6 | 2.6 | -4.6 | 75 | 6.1 | -0.5 | -1 | 0.7 | 2.1 |
| Acc | 56% | 46% | 68% | 71% | 70% | 68% | 71% | 66% | 60% | 70% | 35% | 59% | 58% | 60% | 60% | 53% | 63% |
| Perc | 84 | 30 | 52 | 84 | 24 | 11 | 13 | 4 | 99 | 29 | 51 | 24 | 51 | 60 | 62 | 34 | 49 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$195 | \$368 | 6 | 5 | 6 | 6 | 5 | 6 | C | 5 |

NDIQ78 KENNY'S CREEK DRIVE Q78 ^{PV}

USA18301470 G A R DRIVE ^{PV}

NDIL161 KENNY'S CREEK NINAH L161 ^{SV}

NDIP409 KENNY'S CREEK BARA P409 ^{PV}

NORK522 RENNYLEA KODAK K522 ^{SV}

NDIL246 KENNY'S CREEK BARA L246 ^{SV}

PURCHASER

PRICE



Used in the Kenny's Creek herd

☐ Top 20%

SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 61. KENNY'S CREEK BEAST MODE S88 ^{PV} (HBR)**

ANIMAL ID NDI21S88

DOB 1/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|------|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.9 | 3.1 | -6.9 | 5.6 | 62 | 104 | 122 | 101 | 14 | 3.2 | -4.5 | 65 | 2.8 | -1.1 | -1.8 | -0.2 | 2.5 |
| Acc | 63% | 54% | 83% | 75% | 74% | 72% | 75% | 70% | 66% | 75% | 44% | 65% | 63% | 65% | 65% | 60% | 67% |
| Perc | 77 | 49 | 18 | 81 | 7 | 16 | 39 | 48 | 73 | 14 | 54 | 53 | 87 | 73 | 76 | 85 | 38 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$209 | \$351 | 6 | 5 | 5 | 6 | 5 | 6 | C+ | 5 |

USA17960722 BALDRIDGE BEAST MODE B074 ^{PV}USA16295688 G A R PROPHET ^{SV}

USA17149410 BALDRIDGE ISABEL Y69 #

NDIN214 KENNY'S CREEK MITTAGONG N214 ^{SV}NDIL226 KENNY'S CREEK INTENSITY L226 ^{SV}

NDIJ387 KENNY'S CREEK MITTAGONG J387 #

| PURCHASER | PRICE |
|-----------|-------|
|-----------|-------|

**LOT 62. KENNY'S CREEK MOE S78 ^{PV} (HBR)**

ANIMAL ID NDI21S78

DOB 29/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|-----|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 5.9 | 3.7 | 2.1 | 2.4 | 46 | 78 | 96 | 49 | 20 | 0.2 | -6.2 | 54 | 0.5 | 1.6 | 3.9 | -0.8 | 2 |
| Acc | 63% | 51% | 83% | 74% | 74% | 72% | 74% | 70% | 65% | 75% | 41% | 65% | 64% | 65% | 65% | 59% | 68% |
| Perc | 23 | 42 | 99 | 17 | 69 | 82 | 87 | 99 | 29 | 97 | 14 | 82 | 97 | 16 | 3 | 97 | 52 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$216 | \$333 | 6 | 5 | 6 | 6 | 5 | 6 | C+ | 5 |

GTNM6CHILTERN PARK MOE M6 ^{PV}VTMF734 TE MANIA FOE F734 ^{SV}VSNF15 STRATHEWEN TIMEOUT JADE F15 ^{PV}NDIQ24 KENNY'S CREEK BARA Q24 ^{PV}USA17960722 BALDRIDGE BEAST MODE B074 ^{PV}NDIN67 KENNY'S CREEK BARA N67 ^{PV}

| PURCHASER | PRICE |
|-----------|-------|
|-----------|-------|

**LOT 63. KENNY'S CREEK MOMENTOUS S136 ^{PV} (HBR)**

ANIMAL ID NDI21S136

DOB 10/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|-----|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 4.1 | 3.2 | -4 | 2.5 | 42 | 70 | 84 | 63 | 16 | 1.8 | -6.3 | 38 | 9.7 | 1.3 | 0.3 | 0.2 | 6.1 |
| Acc | 65% | 57% | 83% | 75% | 74% | 72% | 75% | 71% | 67% | 75% | 48% | 67% | 66% | 67% | 67% | 62% | 70% |
| Perc | 39 | 48 | 62 | 19 | 84 | 93 | 96 | 94 | 63 | 60 | 12 | 98 | 15 | 21 | 38 | 66 | 1 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$237 | \$360 | 6 | 6 | 6 | 7 | 5 | 6 | C+ | 5 |

VLYM518 LAWSONS MOMENTOUS M518 ^{PV}USA17354145 G A R MOMENTUM ^{PV}VLYH229 LAWSONS AFRICA H229 ^{SV}NDIQ429 KENNY'S CREEK DREAM Q429 ^{PV}NORE11 RENNYLEA EDMUND E11 ^{PV}NDIK338 KENNY'S CREEK DREAM K338 ^{SV}

| PURCHASER | PRICE |
|-----------|-------|
|-----------|-------|

☐ Top 20%

Used in the Kenny's Creek herd



SALE LOTS



LOT 64. KENNY'S CREEK DRIVE S190 ^{PV} (HBR) ANIMAL ID NDI21S190

| DOB 18/9/2021 | GENETIC STATUS AMF,CAF,DDF,NHF | | | | | | | | | | | | | | | | |
|---|--------------------------------|------|------|--------|-----|-----|-----|-----------|------|---|------|---------|-----|-----|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -0.8 | -0.8 | -4.6 | 4.2 | 50 | 97 | 120 | 97 | 13 | 0.8 | -5.3 | 69 | 7.7 | 0.2 | -1.1 | 0.7 | 2.9 |
| Acc | 56% | 47% | 68% | 71% | 71% | 69% | 71% | 67% | 61% | 70% | 39% | 60% | 59% | 61% | 61% | 54% | 64% |
| Perc | 76 | 82 | 52 | 53 | 48 | 30 | 44 | 54 | 81 | 90 | 32 | 41 | 31 | 43 | 64 | 34 | 28 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$220 | \$358 | 7 | 6 | 6 | 6 | 5 | 5 | C+ | 5 |

| | |
|---|--|
| NDIQ78 KENNY'S CREEK DRIVE Q78 ^{PV} | USA18301470 G A R DRIVE ^{PV} |
| | NDIL161 KENNY'S CREEK NINAH L161 ^{SV} |
| NDIP420 KENNY'S CREEK BARA P420 ^{PV} | NORE11 RENNYLEA EDMUND E11 ^{PV} |
| | NDIL101 KENNY'S CREEK BARA L101 ^{SV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



LOT 65. KENNY'S CREEK NAPA S178 ^{PV} (HBR) ANIMAL ID NDI21S178

| DOB 2/9/2021 | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | |
|---|------------------------------------|------|------|--------|-----|-----|-----|-----------|------|--|------|---------|-----|-----|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 4.6 | 9.1 | -1.5 | 4 | 48 | 82 | 105 | 86 | 9 | 4.5 | -5.9 | 49 | 7.5 | 2 | 2.1 | 0 | 3.8 |
| Acc | 61% | 52% | 83% | 75% | 74% | 72% | 74% | 70% | 64% | 75% | 42% | 62% | 63% | 63% | 64% | 58% | 66% |
| Perc | 34 | 3 | 91 | 48 | 61 | 74 | 75 | 72 | 96 | 2 | 19 | 91 | 34 | 12 | 13 | 77 | 13 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$229 | \$380 | 6 | 5 | 6 | 6 | 5 | 5 | C+ | 4 |

| | |
|---|---|
| NJWN498 MILWILLAH NAPA N498 ^{PV} | NZE14647008839 MATAURI REALITY 839 [#] |
| | NJWH224 MILWILLAH BARUNAH H224 [#] |
| NDIN17 KENNY'S CREEK BARA N17 ^{SV} | USA16198796 EF COMPLEMENT 8088 ^{PV} |
| | NDIL293 KENNY'S CREEK BARA L293 ^{PV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



LOT 66. KENNY'S CREEK MOMENTOUS S117 ^{PV} (HBR) ANIMAL ID NDI21S117

| DOB 6/8/2021 | GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | |
|---|------------------------------------|------|------|--------|-----|-----|-----|-----------|------|--|------|---------|------|-----|------|-----|-----|
| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 6.7 | 4.3 | -4.7 | 1.8 | 44 | 85 | 104 | 53 | 28 | 1.5 | -4.4 | 57 | 13.8 | 0.4 | 0.9 | 0.1 | 6.3 |
| Acc | 66% | 57% | 84% | 75% | 75% | 73% | 76% | 72% | 68% | 76% | 48% | 67% | 67% | 68% | 68% | 63% | 70% |
| Perc | 17 | 36 | 51 | 11 | 76 | 66 | 76 | 98 | 1 | 72 | 57 | 76 | 2 | 38 | 28 | 71 | 1 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$262 | \$386 | 6 | 5 | 6 | 5 | 4 | 6 | C+ | 4 |

| | |
|--|---|
| VL5M518 LAWSONS MOMENTOUS M518 ^{PV} | USA17354145 G A R MOMENTUM ^{PV} |
| | VLYH229 LAWSONS AFRICA H229 ^{SV} |
| NDIN21 KENNY'S CREEK KIWI N21 ^{PV} | USA16198796 EF COMPLEMENT 8088 ^{PV} |
| | NDIL182 KENNY'S CREEK KIWI L182 ^{PV} |

| | |
|-----------|-------|
| PURCHASER | PRICE |
|-----------|-------|



SEE SALE VIDEOS AT WWW.KENNYS-CREEK.COM.AU**LOT 67. KENNY'S CREEK NAPA S104^{PV} (HBR)**

ANIMAL ID NDI21S104

DOB 4/8/2021 GENETIC STATUS AMFU,CAC,DDC,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|-----|-----|------|------|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 5.5 | 7.6 | -7.9 | 4.4 | 54 | 100 | 125 | 137 | 12 | 4.7 | -5.9 | 55 | 1.9 | 0.6 | -0.1 | -0.5 | 4.4 |
| Acc | 61% | 51% | 83% | 75% | 74% | 72% | 75% | 70% | 64% | 75% | 40% | 62% | 62% | 63% | 63% | 57% | 66% |
| Perc | 27 | 8 | 10 | 57 | 32 | 24 | 33 | 7 | 88 | 2 | 19 | 81 | 92 | 34 | 46 | 93 | 7 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$207 | \$399 | 5 | 5 | 6 | 6 | 5 | 7 | C | 5 |

NJWN498 MILWILLAH NAPA N498^{PV}NZE14647008839 MATAURI REALITY 839[#]NJWH224 MILWILLAH BARUNAH H224[#]NDIP412 KENNY'S CREEK FEDERATION P412^{PV}NDIL123 KENNY'S CREEK INTENSITY L123^{SV}NDIG54 KENNY'S CREEK FEDERATION G54^{SV}

PURCHASER

PRICE

**LOT 68. KENNY'S CREEK MOMENTOUS S25^{PV} (HBR)**

ANIMAL ID NDI21S25

DOB 15/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -5.8 | -3.1 | -5.7 | 4.5 | 51 | 92 | 115 | 81 | 24 | 3.6 | -5.4 | 57 | 10.4 | -0.8 | -0.7 | 0.6 | 4.2 |
| Acc | 63% | 54% | 83% | 74% | 73% | 71% | 74% | 70% | 66% | 74% | 44% | 65% | 64% | 66% | 66% | 60% | 68% |
| Perc | 94 | 92 | 34 | 60 | 46 | 44 | 55 | 79 | 6 | 8 | 29 | 76 | 11 | 67 | 57 | 40 | 8 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$222 | \$335 | 6 | 5 | 5 | 7 | 6 | 5 | C+ | 5 |

VLYM518 LAWSONS MOMENTOUS M518^{PV}USA17354145 G A R MOMENTUM^{PV}VLYH229 LAWSONS AFRICA H229^{SV}NDIQ146 KENNY'S CREEK BARA Q146^{PV}NDIN19 KENNY'S CREEK LOTTO N19^{PV}NDIM161 KENNY'S CREEK BARA M161^{PV}

PURCHASER

PRICE

Lot 68

**LOT 69. KENNY'S CREEK MOMENTOUS S45^{PV} (HBR)**

ANIMAL ID NDI21S45

DOB 18/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
|------|-------|------|------|--------|-----|-----|-----|-----------|------|-----|------|---------|------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -7.5 | -8.3 | -5.1 | 5.7 | 66 | 117 | 141 | 138 | 18 | 1.3 | -2.4 | 75 | 12.4 | -2.5 | -3.3 | 1.2 | 2.3 |
| Acc | 65% | 56% | 83% | 74% | 74% | 72% | 75% | 71% | 67% | 75% | 46% | 66% | 65% | 66% | 66% | 61% | 69% |
| Perc | 96 | 99 | 44 | 82 | 3 | 3 | 10 | 6 | 39 | 78 | 93 | 25 | 4 | 93 | 92 | 11 | 43 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|--------|--------|
| \$A | \$A-L | F | R | F | R | | | Muscle | SN 1-5 |
| \$201 | \$341 | 7 | 6 | 6 | 6 | 5 | 6 | C+ | 4 |

VLYM518 LAWSONS MOMENTOUS M518^{PV}USA17354145 G A R MOMENTUM^{PV}VLYH229 LAWSONS AFRICA H229^{SV}NDIQ42 KENNY'S CREEK WILCOOLA Q42^{PV}USA17960722 BALDRIDGE BEAST MODE B074^{PV}NDIN449 KENNY'S CREEK WILCOOLA N449^{PV}

PURCHASER

PRICE








☐ Top 20%

Used in the Kenny's Creek herd










SALE LOTS










| LOT 70. KENNY'S CREEK BEAST MODE S58 ^{PV} (HBR) | | | | | | | | | | | | | | | ANIMAL ID NDI21S58 | | |
|--|-------|---|------|---|-----|---|-----|---|------|--|------|---|-----|--------|--------------------|--------|-----|
| DOB 20/7/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
| <div>TACE</div> <div></div> | BIRTH | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 7.2 | 4.6 | -1.5 | 2.1 | 52 | 92 | 115 | 90 | 15 | 2.6 | -5.3 | 68 | 7.9 | -0.2 | -0.3 | 0.5 | 3.1 |
| Acc | 63% | 54% | 83% | 74% | 73% | 72% | 74% | 70% | 66% | 74% | 44% | 64% | 63% | 65% | 65% | 60% | 67% |
| Perc | 14 | 33 | 91 | 14 | 39 | 45 | 53 | 66 | 65 | 29 | 32 | 43 | 29 | 53 | 50 | 47 | 24 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | |
| \$238 | \$393 | 6 | | 5 | | 6 | | 5 | | 5 | | 6 | | C+ | | 5 | |
| USA17960722 BALDRIDGE BEAST MODE B074 ^{PV} | | | | | | | | | | USA16295688 G A R PROPHET ^{SV} | | | | | | | |
| | | | | | | | | | | USA17149410 BALDRIDGE ISABEL Y69 # | | | | | | | |
| NDIQ48 KENNY'S CREEK BARA Q48 ^{PV} | | | | | | | | | | NDIM45 KENNY'S CREEK JUSTICE M45 ^{SV} | | | | | | | |
| | | | | | | | | | | NDIN429 KENNY'S CREEK BARA N429 ^{PV} | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | |



| LOT 71. KENNY'S CREEK MOMENTOUS S112 ^{PV} (HBR) | | | | | | | | | | | | | | | ANIMAL ID NDI21S112 | | |
|--|-------|---|------|---|-----|---|-----|---|-----------|--|------|---|---------|--------|---------------------|--------|-----|
| DOB 5/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
| <div>TACE</div> <div></div> | BIRTH | | | GROWTH | | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 0.4 | -3.8 | -4.7 | 2.7 | 42 | 72 | 89 | 56 | 27 | 2.2 | -4.4 | 44 | 11 | 0.2 | 0.9 | 0.3 | 5.8 |
| Acc | 65% | 56% | 83% | 75% | 74% | 73% | 75% | 72% | 68% | 75% | 47% | 67% | 66% | 67% | 67% | 62% | 70% |
| Perc | 69 | 94 | 51 | 22 | 83 | 91 | 93 | 97 | 3 | 44 | 57 | 95 | 8 | 43 | 28 | 60 | 1 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | |
| \$217 | \$315 | 6 | | 5 | | 6 | | 6 | | 5 | | 5 | | C+ | | 4 | |
| VLYM518 LAWSONS MOMENTOUS M518 ^{PV} | | | | | | | | | | USA17354145 G A R MOMENTUM ^{PV} | | | | | | | |
| | | | | | | | | | | VLYH229 LAWSONS AFRICA H229 ^{SV} | | | | | | | |
| NDIN71 KENNY'S CREEK N71 ^{SV} | | | | | | | | | | WWEL3 ESSLEMONT LOTTO L3 ^{PV} | | | | | | | |
| | | | | | | | | | | NDIH312 KENNY'S CREEK H312 ^{SV} | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | |



| LOT 72. KENNY'S CREEK MOMENTOUS S113 ^{PV} (HBR) | | | | | | | | | | | | | | | ANIMAL ID NDI21S113 | | |
|--|-------|---|------|---|--------|---|-----|---|-----------|--|------|---|---------|--------|---------------------|--------|-----|
| DOB 5/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU | | | | | | | | | | | | | | | | | |
|  TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -1.8 | 0.3 | -5.7 | 5.5 | 50 | 93 | 115 | 125 | 15 | 0.9 | -4.7 | 50 | 4.5 | -0.5 | -1.5 | -0.5 | 5.8 |
| Acc | 64% | 54% | 83% | 75% | 74% | 72% | 75% | 71% | 67% | 75% | 45% | 66% | 65% | 66% | 66% | 61% | 68% |
| Perc | 81 | 75 | 34 | 79 | 48 | 41 | 54 | 15 | 68 | 88 | 48 | 90 | 71 | 60 | 71 | 93 | 1 |
| Mid July 2023 TransTasman Angus Cattle Evaluation | | | | | | | | | | TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics | | | | | | | |
| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | | | | | | | | | |
| \$A | \$A-L | F  | | R  | | F  | | R  | |  | |  | | Muscle | | SN 1-5 | |
| \$186 | \$337 | 6 | | 5 | | 6 | | 6 | | 4 | | 6 | | C | | 5 | |
| VLYM518 LAWSONS MOMENTOUS M518 ^{PV} | | | | | | | | | | USA17354145 G A R MOMENTUM ^{PV} | | | | | | | |
| | | | | | | | | | | VLYH229 LAWSONS AFRICA H229 ^{SV} | | | | | | | |
| NDIP80 KENNY'S CREEK PATRIOT P80 ^{PV} | | | | | | | | | | DGJG10 ALLOURA GET CRACKING G10 ^{SV} | | | | | | | |
| | | | | | | | | | | NDIK247 KENNY'S CREEK PATRIOT K247 ^{SV} | | | | | | | |
| PURCHASER | | | | | | | | | | PRICE | | | | | | | |



Used in the Kenny's Creek herd

Top 20%

SEE SALE VIDEOS AT WWW.KENNYSREEK.COM.AU**LOT 73. KENNY'S CREEK BEAST MODE S19^{PV} (HBR)**

ANIMAL ID NDI21S19

DOB 14/7/2021 GENETIC STATUS AMFU,CAFU,DDF,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 4.7 | 3.1 | -6.7 | 4.6 | 58 | 94 | 120 | 89 | 20 | 2.9 | -5.5 | 62 | 1.4 | -2.3 | -3.3 | 0.4 | 2.1 |
| Acc | 63% | 54% | 83% | 74% | 73% | 72% | 74% | 70% | 66% | 74% | 45% | 65% | 64% | 65% | 65% | 60% | 68% |
| Perc | 34 | 49 | 21 | 62 | 17 | 40 | 42 | 68 | 23 | 21 | 27 | 62 | 95 | 91 | 92 | 53 | 49 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics


| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$218 | \$359 | 6 | 6 | 5 | 5 | 5 | 6 | C+ | 5 |

USA17960722 BALDRIDGE BEAST MODE B074^{PV}USA16295688 G A R PROPHET^{SV}USA17149410 BALDRIDGE ISABEL Y69[#]NDIQ102 KENNY'S CREEK PATRIOT Q102^{PV}NDIM155 KENNY'S CREEK BLACKPEARL M155^{PV}NDIK288 KENNY'S CREEK PATRIOT K288^{SV}

PURCHASER

PRICE

Left: Lot 73

**LOT 74. KENNY'S CREEK MOMENTOUS S174^{PV} (HBR)**

ANIMAL ID NDI21S174

DOB 31/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|-----|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | -9.9 | -3.4 | -4 | 7.3 | 61 | 103 | 129 | 122 | 20 | 3.3 | -4.2 | 62 | 12.2 | -3.1 | -4.7 | 0.8 | 5.9 |
| Acc | 67% | 58% | 83% | 73% | 75% | 73% | 74% | 72% | 68% | 75% | 47% | 67% | 66% | 67% | 68% | 62% | 69% |
| Perc | 98 | 93 | 62 | 96 | 9 | 17 | 24 | 17 | 27 | 12 | 63 | 62 | 5 | 97 | 98 | 28 | 1 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|----|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$213 | \$343 | 6 | 5 | 6 | 5 | 5 | 6 | C+ | 5 |

VLYM518 LAWSONS MOMENTOUS M518^{PV}USA17354145 G A R MOMENTUM^{PV}VLYH229 LAWSONS AFRICA H229^{SV}NDIP460 KENNY'S CREEK SATURN P460^{PV}DGJG10 ALLOURA GET CRACKING G10^{SV}NDIJ265 KENNY'S CREEK SATURN J265^{PV}

PURCHASER

PRICE

**LOT 75. KENNY'S CREEK PRIME MINISTER S175^{PV} (HBR)**

ANIMAL ID NDI21S175

DOB 31/8/2021 GENETIC STATUS AMFU,CAFU,DDFU,NHFU

| TACE | BIRTH | | | | GROWTH | | | | FERTILITY | | | | CARCASE | | | | |
|------|-------|------|------|-----|--------|-----|-----|-----|-----------|-----|------|-----|---------|------|------|-----|-----|
| | DIR | DTRS | GL | BWT | 200 | 400 | 600 | MWT | Milk | SS | DC | CWT | EMA | Rib | Rump | RBY | IMF |
| EBV | 0.4 | 0.8 | -6.1 | 6 | 61 | 110 | 148 | 123 | 22 | 2.9 | -4.9 | 85 | 9.6 | -0.1 | -1 | 1 | 2.9 |
| Acc | 57% | 45% | 83% | 75% | 74% | 72% | 74% | 68% | 61% | 74% | 38% | 61% | 61% | 62% | 63% | 56% | 65% |
| Perc | 69 | 71 | 28 | 86 | 10 | 7 | 5 | 16 | 12 | 21 | 43 | 8 | 16 | 50 | 62 | 18 | 28 |

Mid July 2023 TransTasman Angus Cattle Evaluation

TRAITS OBSERVED GL,BWT,200WT,400WT,600WT,SC,Genomics

| INDEX VALUES | | STRUCTURAL ASSESSMENTS | | | | | | | |
|--------------|-------|------------------------|---|---|---|---|---|---|---|
| \$A | \$A-L | F | R | F | R | | | | |
| \$251 | \$415 | 7 | 6 | 6 | 6 | 5 | 6 | C | 5 |

BHRP758 DUNOON PRIME MINISTER P758^{SV}NORL508 RENNYLEA L508^{PV}BHRM1008 DUNOON JAPARA M1008[#]NDIN101 KENNY'S CREEK SATURN N101^{PV}NDIJ223 KENNY'S CREEK EQUATOR J223^{SV}NDIJ265 KENNY'S CREEK SATURN J265^{PV}

PURCHASER

PRICE

KENNY'S CREEK COW FAMILIES



BARA FAMILY

Started with the purchase of K150 in 1991, she was a 1990 drop calf. K150 grew into a moderate framed cow, very docile, fertile and trait leading carcass. Showing tremendous longevity and living until nearly 22 years of age. Now she is +4.3 Calving Ease and +2.1 IMF with 91 registered progeny in 6 herds. Some standout daughters are U72 with 14 progeny, Q120 with 66 progeny, Y120 with 22 progeny and A341 and D147. The Bara family continues to impress these traits now.



FINKS MISS FAMILY

Embryos were imported from Fink Beef Genetics, Kansas USA in 2001. The donor cow was Finks Miss 8315 and the sire was GAR Precision 1680. From these embryos there were 8 daughters. Kenny's Creek used X56 as a donor cow resulting in 12 progeny. Other females from these embryos are X34, purchased by Welcome Swallow, X44, purchased by Old Bundemar and X51, purchased by Bill Cornell and St. Paul's Angus. Our top priced cow in 2014 was D118 purchased by Moore Park Livestock, Glen Innes. The Finks Miss family has a very consistent phenotype and extra thickness and body depth.



MITTAGONG FAMILY

V254 purchased from Te Mania in 2004, she was a productive donor cow having 87 progeny in 5 herds. Her daughters have been donors at Sterita Park, Te Mania and Paringa. Daughters have bred on particularly well, like C27 with 28 progeny, who was sold in 2014 to Redbank Angus. Sons of V254 have regularly topped bull sales. The Mittagong family breeds exceptional phenotype and strong maternal dams.



PATRIOT FAMILY

Gets its name from sire Lord Patriot, the corner stone cow was T97 with 55 progeny. Other donor cows have been W37 with 62 progeny and X320. The Patriot cow line is one of the bigger framed cow families at Kenny's Creek.



SATURN FAMILY

Started with Scotch Cap OB45 embryos purchased from Ardrossan Angus. V82 was the most proficient donor of this family with 63 progeny. A couple of daughters carried on as donors, C711 has 28 progeny and was sold to Bannaby Angus in 2011. Her flush sister C715 had 48 progeny. The Saturn family is a moderate frame line with very good maternal and carcass qualities.



WILCOOLA FAMILY

Kenny's Creek purchased T138 from Ardrossan, a big framed matron by O36 x Q82. T138 was born in 1998 and her IMF EBV still stacks up well at +3.2 with 28 progeny recorded. The Wilcoola family are typified by large framed cows with good udders and rib angle.

BUYERS REGISTRATION SLIP

PURCHASER DETAILS

Name

Trading Name

Address

Phone

Fax

Signature

DELIVERY INSTRUCTIONS

Lots Purchased

Insurance

Special Instructions

REGISTRATION TRANSFER DETAILS

Do you wish to have the Angus Society of Australia’s registration of your bull transferred into your name?
☐ No ☐ Yes – Society ID Number:

Special Instructions

DELIVERY INSTRUCTIONS

The signature of your Agent is required if you elect to settle through an Agent.

Agent

Signature

SEE SALE VIDEOS AT WWW.KENNYSCEEK.COM.AU



POSTAGE
PAID
AUSTRALIA



WWW.KENNYSCREEK.COM.AU

If undeliverable, please return to: Kenny's Creek Angus, Hillgrove, 591 Murringo Road Boorowa NSW 2586